Product Features:

◆ endoscope, l'inspection de l'intérieur des pièces, des tubes et etc.
◆ Microscope, vérifiez la carte de circuits imprimés (PCB), magnifier antiquités, d'insectes, de pièces de machines, des tissus, des décorations et etc.
◆ caméra PC.

SPÉCIFICATIONS TECHNIQUES

◆ Interface: USB 2.0.
◆ 30 images / sec (CIF et VGA)
◆ Distance focale: 3mm - infini
◆ Agrandissement: 1x - 200 réglable
◆ longueur du câble USB: 2 mètres;
◆ Utilisez pour Windows XP, Vista, Windows 7, 8 Wingdows & amp; MAC
◆ en alliage d'aluminium Stand: haut niveau est réglable
◆ direction Pen: 360 réglable

Distance focale	Horizontal	Vertical	Grossissement
3mm	0.8mm	0.65mm	200X
25mm	13mm	10mm	15X
75mm	44mm	32mm	5X
100mm	55mm	41mm	3X
120mm	66mm	49mm	2.5X

FONCTIONS LOGICIELS

◆ gel d'image ◆ Aligner Vidéo ◆ ◆ fiche 10 secondes de temporisation pression ◆ Zoom & amp; Dézoomer

Product Pictures:

Reflector	Specula	Focusing Cap	Tube

More models and specification to choose:

Tube	Picture	Model No.	Pixel	Resolution	Diameter	Length	Zoom	Feature
12mm		SE-12U200-2.0M	2.0M	1600 X 1200	12mm	140mm	1X-200X	USB type
		SE-12U200A-2.0M	2.0M	1600 X 1200	12mm	140mm	1X-200X	USB type& Mobile type (Android system)
		SE-12AV200-0.3M	0.3M	640 x 480	12mm	140mm	1X-200X	AV type
8mm		SE-8U300-2.0M (With adjustable Working Station Stand)	2.0M	1600 X 1200	8mm	170mm	1X-300X	USB type
		SE-8U300-2.1M (With Universal Rotation adjustable stand)	2.0M	1600 X 1200	8mm	170mm	1X-300X	USB type

Product Packaging:

27 KGS de GW / G.W
26 KGS NW / N.W
en dehors des dimensions de la boîte / MEAS .: 55x40x40 CM

LISTE DE COLISAGE:

USB PEN MICROSCOPE	1
Support en alliage d'aluminium	1
Réflecteur	1
Le tube multi-fonction	1
Grand bouchon	1
Ear spéculaire	1
CD du logiciel (Software et le manuel de l'utilisateur inclus)	1

Approval Certification:

Union Safety Certification Service

Declaration of Compliance

Applicant : Selectech Electronics co.,Ltd

Address : No.55, Renhe Road, Renhe Town, Baiyun District, Guangzhou, China

Product : Humidity & temp Sensor

Model No. : AM2301/AM2302/AM2303/AM2305/AM2306/AM2321

Input Ratings : 3.5-5.5V

Ref. Test Report : 16002483 001

This is to certify that , on the basis of the tests undertaken as report no.: 16002483 001, use the submitted sample of the above item complies with:

2011/65/EU

2000/9/16/EC

RoHS

Signed and on behalf of

Union safety Certification Service

Why Choose US :

Our goal is to provide customers products of high quality, competitive price, and superior services.

1.Established in 2005, about 10 years of history;

2.Own main factories, supply diversification products and One stop service

3.Certificates of ISO9001, UL, CE, EMC,CQC,RoHS,Reach,etc.

4.Six years Gold member in Alibaba, Aliexpress etc

5.Production capability more than 100 thousands pcs/ month;

6.Monthly export more than 50 times delivery;

7.Exported to more than 20 countries and regions;

8.We provide an excellent combination between prices, quality & respond,delivery,after-sales!