

More models you can choose !



LED **SE-MF**

Product

Selectech & 038; Selectech & 038; Selectech & 038; Selectech & 038; Selectech & 038; Selectech & 038;

Selectech HydroProbe® Selectech & 038; Selectech & 038; Selectech & 038; Selectech LED Selectech LED

& 038;

Supply Voltage	12-36V DC
Relative Humidity	0..100%RH
Accuracy	±0.1%RH
Power Supply	0V DC to 10V DC 4-20mA RS485
Operating Temperature	+ -2%RH to 95%RH 25Celsius < + - 5%RH -40..80Celsius
Storage Temperature	+ -0.3%RH
Resolution	+ -0.3%RH
Response Time	0.1%RH
Humidity Hysteresis	+ -0.5%RH
Material	DS18B20
Temperature Accuracy	±25Celsius ± -0.3Celsius
Power Supply	0V DC to 10V DC 4-20mA RS485
Operating Temperature	0 to 50Celsius -20 to 80Celsius PCB 4-20mA RS485
Storage Temperature	-40 to 60Celsius
Operating Temperature	-40..80Celsius
Material	ABS
Probe Size	Max 1.5mm ²

038;



□□□□□

SE-MF3005□□□&□□□□□□□□□□5V DC; LED□□□□□□□□□□

SE-MF3105LED□□□&□□□□□□□□□□5V DC; LED□□□□□□□□□□□□

SE-MF3010□□□&□□□□□□□□□□10V DC; LED□□□□□□□□□□

SE-MF3110LED□□□&□□□□□□□□□□10V DC; LED□□□□□□□□□□□□

SE-MF3020□□□&□□□□□□4□20□□□□□□□□ LED□□□□□□□□□□

SE-MF3120LED□□□&□□□□□□4□20□□□□□□□□ LED□□□□□□□□□□□□

SE-MF3485□□□&□□□□□□RS485□□□□ LED□□□□□□□□□□

SE-MF3485LED□□□&□□□□□□RS485□□□□ LED□□□□□□□□□□□□

□□□□□



- 1. Established
- 2. Owns
- ISO9001, UL, CE, SGS, EMC, CQC, Aliexpress
- 3. Certificates
- 4. Six
- 5. Production 1000000
- 6. Monthly 50000000
- 200000000
- 7. Exported
- 8. We & 038



send us inquiry



receive our quotation



negotiate details



mass production



sign contract / deposit



confirm the sample



cargo ready



balance / delivery



further cooperation

