



PIPELINE INSPECTION



CAR INSPECTION



AIR CONDITIONER INSPECTION



SEWER DETECT



1m, 1.5M, 2M, 3.5M, 5m, 10m, 20m, USB, COMS

1/5 "VGA, COMS

2.0MP

YUV : 1600 \* 1200; MJEG : \* 720 1280, F / NO 2.8

LED (6), LED

Φ9mm

62°

LED switch, IP67

6CM

I/O : USB 2.0, CD, I/O

1. WIFI

2. 850MAH

3. PC, USB

4. 4

5. USB, WIFI, USB, USB, USB, USB

6. APP, Apple APP

WIFI : 30m

63.7 \* 40 \* 16.7mm

5V

USB 2.0

2000,000pixels

640 \* 480 1280 \* 720 (PC \* 1200only 1600)

6LED

F / NO : 2.8

OD : φ9mm

Angleof : 60°

LED

3CM-6CM

MJPG

5V, 850MAH, WIFI, WIFI A..

B. APP, Apple APP

APP, Apple APP

APP, Apple APP



# Wireless endoscope



Android



IOS



Pad



Notebook

<http://www.selectechcn.com>



<http://www.selectechcn.com>



<http://www.selectechcn.com>



<http://www.selectechcn.com>



<http://www.selectechcn.com>





- 1 \* USB 鼠标
- 1 \* 鼠标垫
- 1 \* 鼠标
- 1 \* 鼠标
- 1 \* 鼠标垫
- 1 \* 鼠标垫
- 1 \* CD
- 1 \* 鼠标

- 1 \* 鼠标
- 1 \* 鼠标
- 1 \* 鼠标

- 1 \* 鼠标