



USB 2.1A SE-MT148U-2.1A

Product :

1. AC 6A 240VAC 2 ports
2. USB 2.1A 5VDC, 58 %
3. 1 / 2 / 3 / 4 / AU ports
4. 1 / 2 / 3 / 4 / AU ports
5. 5.0
6. USB $\pm 5\%$ 10 Ω AC 100-250VAC 5V
7. 10 Ω USB 40-50mA 100ms 4
8. USB 5 Ω 20mA, 0.5hrs
9. USB 30 2,100mA
10. : ,
- (11) - ABS 94V0 - CASES
12. Approval : FCC CE RoHS

Image :



□□ □□ :

□□ □□ □□ **USB** □□

SE-148U□ USB □□ 5V, 1000MA □□□ □□

SE-148U-2.1A□ USB □□ 5V, 2100MA □□□ □□

SE-148U2□ USB □□ 5V, 1000MA □ □□

SE-148U2-2.1A□ USB □□ 5V, 2100MA □ □□

ODM & A, OEM□ □□□ MOQ□ □□ □□□□□ : 1Kpcs □□. □□□ □□□ □□□ □□ □ □ □□□□, □□ □□□□□□. □□□ □□□ □□□□ □□□ □□ □□ □□□□□! □□□ □□ □□□ □□ □□□!

□□ □□ :

CTN □□ : 100PCS / CN

GW : 12.00kgs

N.W : 10.50 □□□□

□□ : 40.5 × 31.5 × 30cm

□□ □□ :



□ □□□ □□ :

- 2005 10 1.Established;
- 2.Owns □□ □□, □□ □□□ □□ □□ □□□ □□□
- ISO9001, UL, CE, SGS, EMC, CQC, □□ □□ 3.Certificates
- □□□□, Aliexpress□ 4.Six □ □□ □□
- 5.Production □□ 100 □ □□□ □□ □ / □;
- 6.Monthly 50 □□ □□□ □□;
- 20 □ □□□ □□ □□□ 7.Exported;
- 8.We □□ □□, □□ □ A □□□ □□□ □□□ □□□; □□, □□, □□ □!



Order program

