

**Spend less time charging your devices and more time enjoying them!**



Our USB Charger Devices feature a smart chip that recognizes and optimizes the charging power of your electronic devices for fast and efficient charging.

## The Best Wall Outlets With USB Charging Ports, Smart USB Wall Charger supplier

### Features:

2-Pack USB Charger Outlet, Quick Charge 2.0 USB Charger Outlet, Faster Charging to compatible devices. Two 2.0 Quick Charge USB ports, full speed charging to two devices same time. Reduces charging time to smartphones, tablets and devices, Both USB ports are smart to "read" the power source type of devices and maximum charging efficiency Safe charging, 15A Outlet, 3 Click-On USA style Face Covers.

This fits easily with most wall plates. Super easy to install and really is nice, with my kids having all their tablets/phones always charging it is nice to just plug right in.








## Specifications:

- Type: Wall Socket
- Grounding: Standard Grounding
- Rated Voltage: 125V
- Rated Current: 15A
- Application: Residential / General-Purpose
- Main material: High quality PC Material
- Inside Material: Tin phosphorous bronze
- Electrical Characteristics: AC125V /15A
- USB output: DC 5.0V /2100mA
- Color: White
- Insert and Draw Frequency: >10000 times
- Socket standard: Multi function socket
- Certificate: CE,ROHS,TUV
- Pressure Resistance: Between the input output 3KV / AC
- Isolation Resistance: Input and output 500VDC / 100MΩ
- Color: White
- Product size: 115 x 70 mm
- Insert and Draw Frequency>10000 times
- Temperature, humidity:-10°C ~ +40°C ; 20% ~ 90%
- Storage Temperature, Humidity: -20°C ~ +85°C ; 10% ~ 95% RH





### Packaging & Shipping:

- Packaging: 1PCS/Poly bag/Inner box / 50PCS/Carton
- Carton size: 40\*26\*30cm
- Or as customized.



More related products:





USB Type C [Wall Plate USB Charger](#)

---





*USB wall socket charger*





● ● ● USB Wall Socket

①



A: 5V/2.1A  
B: 5V/4A

115×70

②



A: 5V/2.1A  
B: 5V/4A

115×70

③



A: 5V/2.1A  
B: 5V/4A

115×70

④



A: 5V/2.1A  
B: 5V/4A

115×70

⑤



A: 5V/2.1A  
B: 5V/4A

115×70

⑥



A: 5V/2.1A  
B: 5V/4A

115×70





[Smart USB Wall Charger factory](#)



# Professional Manufacture

5 Characteristics

