Product Features:

خصائص فريدة:
تحليل الكثافة التلقائية
التكبير الرقمي 200X
المكونات الإلكترونية المستوردة
تصميم أنيق المظهر
مجال التطبيق:
المنسوجات ، صناعة الملابس ، الالكترونية الاستهلاكية ، الصناعة التفتيش ، الصك ، الرعاية الصحية ، مختبر ، صيانة المركبات واصلاحها ، صناعة السيارات ، المجاري والأنابيب التفتيش ، الأمن.
تطبيق البرنامج على نظام ويندوز:
البرنامج يوفر لقطة وتسجيل الفيديو والقياس وغيرها

Product Pictures:



Model	SE-S003
Focus	Manual Focus
Focal Distance	3 mm — infinity, customized
Magnification	50 — 200X (continuous zoom)
Sensor	2 MP
Pixels	1600*1200, 640 * 480, 320*240
Video Resolution	Max 640*480
Photo Format	JPEG, BMP
Video Format	WMV, DZC
System	Windows XP SP2 and above, Mac OS X 10.5 and above, Linux
SnapShot	Software control (Windows only)
Date saving	Yes
Mac OSX	Photo Booth or FaceTime
Light Source	LED lights
Port	USB 2.0
Frame Speed	Max 30 frames/second
Material	Metal
Product Size	φ44 mm * 46mm
Gross Weight	600 g
N.W.	200 g
Warranty	1 year
OEM/ODM	Acceptable
Small quantity order	Acceptable

الوضعية:

بالكمبيوتر ووضعها على الكائن وتأكد من أن وجه الشعار للمشغل. C003 قم بتوصيل
انقر نقرًا مزدوجًا لتشغيل البرنامج
قم بتدوير المقبض المركزي لضبط التكبير المناسب
تدوير مقبض التركيز لجعل الصورة واضحة ؛ لجعل تفتيش الكثافة دقيقة وسهلة ، يرجى الحفاظ على نسيج النسيج الأفقي والرأسي
تعيين 3 نقاط لأخذ العينات عن طريق النقر على الزر الأيسر ؛ لتتناسب مع الضبط ، يرجى اختيار تقاطعات الالتفاف واللحمة وتعيين نقطة العينة الثانية في الزاوية. إذا كانت نقاط أخذ العينات غير مثالية ، فالرجاء النقر عليها بالزر الأيسر لتفعيلها (overstriking) ثم استخدم الماوس لإجراء تعديل تقريبي أو استخدم مفتاح التوجيه في لوحة المفاتيح لإجراء ضبط دقيق حتى تتطابق خطوط كثافة الكمبيوتر مع الالتواء والحمة من القماش بشكل مثالي. تعرض البيانات الحالية كثافة الالتفاف وكثافة اللحمة في الجزء الأيمن من البرنامج.
قراءة الصورة: قراءة الصورة هي فقط لتحليل مزدوج للصور الموجودة ، والتي يتم حفظها أثناء إنشاء التقرير. يرجى اتباع هذه الخطوة أثناء قراءة الصورة: حدد صورة - & gt؛ open المزدوج النقر إذا متوقعة غير مشاكل يسبب قد ؛ على الصور المحددة.
اسم العميل والمحلل. اختر: اسحب القائمة وانقر على الزر الأيسر. إضافة جديد: إدخال في عمود اسم العميل وحفظه عن طريق إنشاء التقارير. حذف: اسحب القائمة ، حدد وحذف عن طريق النقر على الزر الأيمن
رقم التقرير يولد من قبل النظام زمنيا
قياس انقر في الزاوية اليمنى السفلى. بعد تغيير الرمز إلى ، قم بتعيين نقطتين عشوائيتين لقياس الطول. انقر مرة أخرى بعد القياس ، سيعود البرنامج إلى حالة تحليل الكثافة.

Approval Certification:

Union Safety Certification Service

EC Declaration of Conformity

No. CE-121202

The following products have been tested by us with the listed standards and found in compliance with the European Community Low Voltage Directive (LVD) 2006/95/EC and 93/68/EEC.
Assessment of compliance of the product with the requirements was based on the following standards:

EN60335-1:2012

EN62233:2008

Applicant	: Selectech Electronics co.,Ltd
Address	: No.56, Renhe Road, Renhe Town, Baiyun District, Guangzhou, China
Product	: Humidity & temp Sensor
Model No.	: AM2301/AM2302/AM2303/AM2305/AM2306/AM2321
Input Ratings	: 3.5-5.5V
Ref. Test Report	: 16052483 001

CE

Manager
Date: 05-12-2012

This statement is based on a single evaluation of one sample of above mentioned products. It does not imply an assessment of the whole production and does not permit the use of the test lab. logo. The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report. The applicant should hold the whole technical report at disposal of the competent authorities.

The CE mark above can be used under the responsibility of manufacturer. After completion of an EC declaration of conformity and compliance with all relevant EC directives.

Union Safety Certification Service
Address: 5/402, Hetui Building, No. 151, Huangpu Dadao Dong, Guangzhou, P.R.C
Web: www.unionsafety.com.cn

Union Safety Certification Service

Declaration of Compliance

No.: Rohs-121204

Applicant	: Selectech Electronics co.,Ltd
Address	: No.56, Renhe Road, Renhe Town, Baiyun District, Guangzhou, China
Product	: Humidity & temp Sensor
Model No.	: AM2301/AM2302/AM2303/AM2305/AM2306/AM2321
Input Ratings	: 3.5-5.5V
Ref. Test Report	: 16052483 001

This is to certify that , on the basis of the tests undertaken as report no.: 16052483 001, was the submitted sample of the above item complies with:
2011/65/EU
2002/95/EC

RoHS

Signed and on behalf of
Union safety Certification Service

Date of issue: 05 Dec,2012

Union Safety Certification Service
Address: 5/402, Hetui Building, No. 151, Huangpu Dadao Dong, Guangzhou, P.R.C

QUALITY MANAGEMENT SYSTEM
CERTIFICATE

Certificate No.: 05110QU1400R2M1302

We hereby certify that:
Zhejiang New-epoch Communication Facility Co., Ltd
Selectech Electronics co.,Ltd

Wen Yong Industry Zone, Yue Qing, Zhejiang, China

Is hereby issued with the
Quality Management System
has been awarded this certificate for compliance with the standard
ISO9001: 2008
GB/T 19001-2008
The Quality Management System Applies to the following area:
Production and Service of Indoor Telephone Extension

Exclusions: Design and Development Requirement

Certified since: Jan. 12, 2004 Valid from: Feb. 06, 2010 Valid until: Feb. 05, 2013

CHINA QUALITY CERTIFICATION CENTRE

Why Choose US :

Our goal is to provide customers products of high quality, competitive price, and superior services.

1.Established in 2005, about 10 years of history;

2.Own main factories, supply diversification products and One stop service

3.Certificates of ISO9001, UL, CE, EMC,CQC,RoHS,Reach,etc.

4.Six years Gold member in Alibaba, Aliexpress etc

5.Production capability more than 100 thousands pcs/ month;

6.Monthly export more than 50 times delivery;

7.Exported to more than 20 countries and regions;

8.We provide an excellent combination between prices, quality & respond,delivery,after-sales!