Toma de Brasil toma de superficie duroplast módulos de alimentación de CA toma de corriente enchufe modular pdu

Toma de modulador de potencia de Brasil

* Tamaño: 22.5 * 45 mm.
* MONTAJE EN PANEL O CAJA DE PARED.
* MATERIAL DE PLACA Y BASE: PC RETARDADA POR LLAMA,
* MATERIAL DE CLIPS: COBRE DE FÓSFORO,
* TERMINALES SIN TORNILLO.
*COLOR BLANCO.

① XJY-QB-27
Brazil standards socket
Rated voltage: 250v
Rated current: 16a/20a
Size: 45*22.5mm
Color: White
Material: PC

② XJY-QB-28
EU standards socket
Rated voltage: 250v
Rated current: 16a
Wiring:Screwless wiring
Size: 45*45mm
Color: White
Material: PC

③ XJY-QB-29
Universal socket
Rated voltage: 250v
Rated current: 10a
Size: 45*45mm
Color: White
Material: PC

④ XJY-QB-30
UK standards socket
Rated voltage: 250v
Rated current: 13a
Size: 45*45mm
Color: White
Material: PC

⑤ XJY-QB-31
EU standards socket
Rated voltage: 250v
Rated current: 16a
Size: 45*45mm
Color: White
Material: PC

⑥ XJY-QB-32
French standards socket
Rated voltage: 250v
Rated current: 16a
Size: 45*45mm
Color: White
Material: PC