

**PD QC adaptador de viaje rápido internacional
universal EE. UU. Reino Unido AU UE tipo C puerto USB
viaje mundial BS8546 cargador rápido UK enchufe
converte**



Modelo del Producto	SE-830DQ-UK
Nombre del producto	ADAPTADOR DE VIAJE BRITÁNICO
Producto de entrada	100-250y ~ 10AMAX
Material del producto	pc retardante de fuego
Potencia del producto	2500W MAX
Material conductor	Bronce fosforado
ENTRADA USB	100-250 ~, 50-60Hz 0.5A
SALIDA USB-A	5V-2.4A, 9V = 2A, 12V = 1.5A
SALIDA USB-C	5V = 3A.9V-2A.12V-1.5A





UK

USB/PD TRAVEL ADAPTER

EN62368 BS8546 IEC60884 and other authoritative certifications



PD 3.0 Quick charge



QC 3.0 Quick charge



Flame retardant and high temperature resistant



2500W Big Power



compact and easy for carrying



Safety Shutter



Conversion for Multi-country Standard Plugs

American standard plug, Chinese standard plug, European standard plug, Australian standard plug, German standard plug, British standard plug, Italian standard plug, Swiss standard plug and Brazil standard plug can be used

US 2PIN

US 3PIN

UK 3PIN



WARM TIPS: DUE TO MANUAL MEASUREMENT, THE SIZE MAY HAVE AN ERROR OF 0.1-0.5MM, PLEASE REFER TO THE ACTUAL PRODUCT.

Different Choice , Same Perfection

Different Versions Can Be Selected According to Own Needs



Product Parameters

Product Brand :	Product Model:
WORLDPLUG	830DQ-UK
Product Name:	Product Input:
UK TRAVEL ADAPTER	100-250V~ 10A MAX
Product Material :	Product Power:
fire retardant PC	2500W MAX
Conductor Material:	USB INPUT:
Phosphor Bronze	100-250V~, 50-60Hz,0.5A
USB-A OUTPUT:	USB-C OUTPUT:
5V==2.4A, 9V==2A, 12V==1.5A	5V==3A, 9V==2A, 12V==1.5A



QC 3.0+PD 3.0

Device compatible with extensive, notebook/tablet/phone all can use



Travel with full power at any time

no matter how many devices can be charged at the same time .once can charged 3 devices



Support Apple PD fast charge

Support Apple PD fast charge pact and backward compatible PD2.0

iPhone 11 Pro FAST Charging TEST:

in 15 minutes: 28% charge
30 minutes: 55%
45 minutes: 74%
1 hour: 85%
1 hour and 15 minutes: 94%
1 hour and 30 minutes: 98%
1 hour and 42 minutes: FULL Charge



Support Android QC fast charge

Support Android QC fast charge pact and backward compatible QC2.0



Applicable devices range for fast charge

Support Apple PD3.0 Android QC3.0 Huawei FCP SAMSUNG AFC etc fast charge pact

Support Apple 15W, Android QC3.0, Huawei 10W, Samsung 15W etc fast charge port

Fast Charge type	Brand	Support model
PD quick charge	iPhone	8、8Plus、X、XR、XS、XS Max 11、11Pro、11 Pro Max
FC quick charge	HUAWEI	Nove4e、Nove5、Nove5 Pro、Nove6 Mate10 Pro、Mate20、Mate20 Pro Mate30、Mate30 Pro、P30 Pro
	HONOR	V9、V10、V20、20i、V30、V30Pro Note10 Magic2
AFC quick charge	SAMSUNG	S11、S10+ S10、S10e、S9+、S8 S7、S6、S6+、S7 edge、Note9 Note8、Note 10、Note 10+
QC 3.0 quick charge	MI	Mix、Mix2、Mix3、Mix2s、Max Note3、Note2、CC9 Pro、9Pro、9、 8、8se、6、6X5、5S、5SPlus、




Support the Use of High-power Electrical Appliances

Suitable for Large and Medium Power Electrical Appliances, Such as Hair dryer, Hair Straightener, Iron, etc.



High Quality Copper Parts Elaborate Work and Attentive Operation

High Quality Copper Parts are Selected Inside of the Product, Which Can be Plugged and Pulled Smoothly, And the Stable Current Can Reduce the Heat



Silent Charging, Accompany You to Sleep Safely

Excellent Immersion Technology for Transformer and Reasonable Oscillation Frequency Design for Switch. Deviate from Audio Range, Avoid Noise Source and Reject Current "squeak".



Smart IC, Safe Charging

Charging is not Hot, More Comfortable to Use

Fire Proof Material, Flame Retardant and High Temperature Resistant

Flame Retardant and Heat-resistant, Safe and Durable





Safety Shutter

Protect Children and the family member Safety

When a finger or sharp object is inserted, the single hole can only be opened with a force of more than 75N (7.5kg), so as to prevent the Children from accidentally contacting the conductor



Compact and Lightweight for Easy Carrying

Compact volume and easy to carry

