

# Rusia Hot venta negro blanco adaptadores mundo enchufes eléctricos adaptador de viaje con 2 cargadores USB

## Product Features:

\* Especificaciones

Entrada de CA: 110-250V

Tipo de la salida: CA y salida de la c.c.

Salida de la c.c. (USB) 5V, 2100ma

Fusible: 6A

Energía máxima: 1600W

Tamaño: 62 \* 46 \* 55 mm

peso: 100 g

Paquete:

Caja blanca 100pcs/ctn

GW: 11.00 kilogramos

N.w.: 10,50 kilogramos

Tamaño de CTN: los 32 \* 31 \* 30 cm

MOQ: 500pcs

Certificación: CE, FCC, ROHS

## Product Pictures:



MODEL: World Adapter 5V21  
Total USB Output: 5V  $\overline{\text{---}}$  2.1A(MAX)  
AC Power: 6A Max. 100-240Vac 50/60Hz  
Max. 660W at 110Vac, 1380W at 230Vac

**CAUTION:**  
Adapter(AC-AC) does not convert voltage  
Use only with Fuse  $\overline{\text{---}}$  T 6A  
Indoor use only IP20/TA40  
Do not use with appliances requiring earth connection

CE FC



UK

EUROPE

USA/AUST



MODEL: World Adapter 5V21  
Total USB Output: 5V  $\equiv$  2.1A (MAX)  
AC Power: 6A Max, 100-240Vac 50/60Hz  
Max. 660W at 110Vac, 1380W at 230Vac

**CAUTION:**  
Adapter (AC-AC) does not convert voltage  
Use only with Fuse  $\equiv$  T 6A  
Indoor use only IP20/TA40  
Do not use with appliances requiring earth connection

CE FCC



UK

EUROPE

USA/AUST



MODEL:World Adapter 5V21  
Total USB Output: 5V=2.1A(MAX)  
AC Power: 6A Max.100-240Vac 50/60Hz  
Max.660W at 110Vac,1380W at 230Vac

**CAUTION:**  
Adapter(AC-AC) does not convert voltage  
Use only with Fuse T 6A  
Indoor use only IP20/TA40  
Do not use with appliances requiring earth connection



UK      EUROPE      USA/AUST



MODEL: World Adapter 5V21  
Total USB Output: 5V=2.1A(MAX)  
AC Power: 6A Max, 100-240Vac 50/60Hz  
Max. 660W at 110Vac, 1380W at 230Vac

**CAUTION:**  
Adapter(AC-AC) does not convert voltage  
Use only with Fuse T 6A  
Indoor use only IP20/TA40  
Do not use with appliances requiring earth connection



UK  
EUROPE  
USA/AUST







#### Product Packaging:

Bolso del PE + caja blanca

Qty del ctn: 100pcs/CN

GW: 11.00 kilogramos

N.w.: 10,50 kilogramos

Tamaño.: los 32 \* 31 \* 30 cm

**ODM y el OEM es agradable, según nuestro MOQ: petición de 1Kpcs. Podemos modificar el color y el embalaje para requisitos particulares, etiqueta engomada lable ect. ; más detalles, recepción para entrarnos en contacto con!**

#### Approval Certification:





## Why Choose US :

Our goal is to provide customers products of high quality, competitive price, and superior services.

1. Established in 2005, about 10 years of history;
2. Own main factories, supply diversification products and One stop service
3. Certificates of ISO9001, UL, CE, EMC, CQC, RoHS, Reach, etc.
4. Six years Gold member in Alibaba, Aliexpress etc
5. Production capability more than 100 thousands pcs/ month;
6. Monthly export more than 50 times delivery;
7. Exported to more than 20 countries and regions;
8. We provide an excellent combination between prices, quality & respond, delivery, after-sales!

