

Router / wifi inalámbrico fácil de instalar en el hoyo toma de corriente WIFI-01 adecuada

Descripción:

Cuando nuestra región hay un obstáculo o una barrera pared, ello se puede montar directamente en la pared, para reemplazar el original toma de corriente, inalámbrico que permite señal Cada ubicación ser fortalecida.





Especificación:

Entrada: CA 100-240V

Energía: Menos de 5W

Inalámbrico alcance de transmisión: 150M

Rango de frecuencia: 2.4G Hz-2,84 g

Antena: Antena incorporada 3dB omnidireccional


La seguridad inalámbrica: IEEE 802.11b / g / n 2.4GHz IEEE802.3af Power over Ethernet

Condiciones ambientales: 0 a 40 grados C

10% -98% de HR

Tamaño: 86 * 86mm

Color blanco



Power supply	AC 100-240V	Size	86*86
Power consumption	<5W	Wireless transmission rate	150M
Frequency range	2.4-2.84GHz	Antenna	built-in omnidirectional 3dB antenna
Wireless security	WEP WEP-PSK WEP-TKIP WPA2 AES		
Standard	IEEE802.11b/g/n 2.4GHz IEEE802.3af Power over Ethernet		
Environmental conditions	working temperature is 0-40℃ humidity is 10-98%		

Embalaje:

* 1 PC / bolso del PE

* 200 PC / cartón: 38 * 38 * 32 cm