

## **Routeur / wifi sans fil installation facile sur le trou de la prise murale WIFI-01 appropriée**

### **Description:**

Quand notre région il existe un obstacle ou un obstacle mur, ce peut être monté directement sur le mur, à remplacer l'original prise de courant, sans fil permettant signal chaque emplacement être renforcée.





## Spécification:

Entrée: AC 100-240V

Puissance: Moins de 5W

Sans fil portée de transmission: 150M

Gamme de fréquences: 2,4 g 2.4G-Hz

Antenne: antenne omnidirectionnelle 3dB


La sécurité sans fil: IEEE802.11b / g / n 2.4GHz IEEE802.3af Power over Ethernet

Conditions environnementales: 0-40 degrés C

10% -98% HR

Taille: 86 \* 86mm

Couleur blanche



<b>Power supply</b>	AC 100-240V	<b>Size</b>	86*86
<b>Power consumption</b>	<5W	<b>Wireless transmission rate</b>	150M
<b>Frequency range</b>	2.4-2.84GHz	<b>Antenna</b>	built-in omnidirectional 3dB antenna
<b>Wireless security</b>	WEP WEP-PSK WEP-TKIP WPA2 AES		
<b>Standard</b>	IEEE802.11b/g/n 2.4GHz IEEE802.3af Power over Ethernet		
<b>Environmental conditions</b>	working temperature is 0-40℃ humidity is 10-98%		

## Emballage:

\* 1 pcs / sac PE

\* 200 pièces / carton: 38 \* 38 \* 32 cm