



Product Features:

αδιάβροχη φωτογραφική μηχανή 5 χιλιοστά usb ενδοσκόπιο
 2M / 5M / 7M / 10M / 20M,
 1 / 6CMOS κάμερα, 6LED φως
 Νέα Προϊόντα νέο σχεδιασμό.
 Αδιάβροχο: IP67

Αληθινή Plug & amp? Παίξτε χωρίς την εγκατάσταση του οδηγού κάτω από το σύστημα XP
 Αυτόματη εγκαταστήσει το λογισμικό πάνω από το system XP, όταν τοποθετείτε το CD, είναι δυνατή η
 αποθήκευση βίντεο, παίρνει τη φωτογραφία, τη ρύθμιση βίντεο pixels / μέγεθος / καρέ / στυλ, κ.λπ.
 Τροφοδοσία: DC 5V / 0.1A

Τα στοιχεία συνάρτησης	Spec Περιγραφή
Φωτογραφική μηχανή	1/6 "COMS VGA
Εικονοκύτταρο	640 X 480
Ανάλυση	640x480,352X288,320X240,176X144,160X120
Ψήφισμα Captuer	Μέχρι 640X480
LED	4 λευκά LED φως
Λάμψη	Auto
Εκτεθειμένα ελέγχου	Auto
F / OXI	2.8
Διαμέτρου κάμερας	Φ7.00 mm
Ευρεία γωνία οπτική άποψη	62 °
Διακόπτη LED	Ρυθμιζόμενη διακόπτη ελαφρότητα
Εστιακή Απόσταση	6CM-infinite

Οι Υπηρεσίες Μας

1. Κορυφαία ποιότητα και καλύτερη τιμή
2. Τουλάχιστον τρεις φορές τη δοκιμή πριν από την παράδοση
3. 24 μήνες εγγύηση καλής λειτουργίας
4. γρηγορότερη ναυτιλία
5. CE, ROHS εγκεκριμένο
6. δοκιμαστική διαταγή είναι ευπρόσδεκτη
7. Ευέλικτη όρους πληρωμής

Product Pictures:





Δείτε παρακάτω για περισσότερες επιλογή μοντέλου:

7mm 6-LED USB Endoscope Camera

Item	Picture	Packing	Specification
SE-702M			Camera 1/6" VGA COMS Pixel VGA 300K Resolution 640x480 , F/NO 2.8 LED 6 White LED bright light, Camera housing diameter Φ7mm Wide visual view angle 62° LED swith Adjustable lightness switch Focal Distance 6CM-infinite I/O Interface USB 2.0 Packing details: endoscope camera, CD, manual. G.W: 2M:120g 5M:220g 7M:280g 10M:400g 15M:550g 20M:680g
SE-705M			
SE-707M			
SE-710M			
SE-715M			
SE-720M			

5.5mm 6-LED USB Endoscope Camera

Item	Picture	Packing	Specification
E-USB2M			Camera 1/6" VGA COMS Pixel VGA 300K Resolution 640x480 , F/NO 2.8 LED 6 White LED bright light, Camera housing diameter Φ5.5mm Wide visual view angle 62° LED swith Adjustable lightness switch Focal Distance 6CM-infinite I/O Interface USB 2.0 Packing details: endoscope camera, G.W: 2M:100g 5M:200g 7M:250g 10M:380g 15M:540g 20M:670g
E-USB5M			
E-USB7M			
E-USB10M			
E-USB15M			
E-USB20M			

14.5mm 4-LED USB Endoscope Camera

Item	Picture	Packing	Specification
EN-5M			Camera 1/6" VGA COMS Pixel VGA 300K Resolution 640x480, F/NO 2.8 LED 6 White LED bright light, Camera housing diameter Φ14.5mm Wide visual view angle 62° LED swith Adjustable lightness switch Focal Distance 6CM-infinite I/O Interface USB 2.0 Packing details: endoscope camera, CD, manual. G.W: 5M:230g 10M:410g 15M:560g 20M:710g
EN-10M			
EN-15M			
EN-20M			

10mm 4-LED Endoscope Camera

Item	Picture	Packing	Specification
USB-2M			Camera 1/6" VGA COMS Pixel VGA 300K Resolution 640x480, F/NO 2.8 LED 4 White LED bright light, Camera housing diameter Φ10mm Wide visual view angle 62° LED swith Adjustable lightness switch Focal Distance 6CM-infinite I/O Interface USB 2.0 Packing details: endoscope camera, CD, manual. G.W: 2M:110g 5M:210g 7M:260g 10M:390g 15M:550g 20M:680g
USB-5M			
USB-7M			
USB-10M			
USB-15M			
USB-20M			

Approval Certification:



Why Choose US :

Our goal is to provide customers products of high quality, competitive price, and superior services.

- 1.Established in 2005, about 10 years of history;
- 2.Own main factories, supply diversification products and One stop service
- 3.Certificates of ISO9001, UL, CE, EMC,CQC,RoHS,Reach,etc.
- 4.Six years Gold member in Alibaba, Aliexpress etc
- 5.Production capability more than 100 thousands pcs/ month;
- 6.Monthly export more than 50 times delivery;
- 7.Exported to more than 20 countries and regions;
- 8.We provide an excellent combination between prices, quality & respond,delivery,after-sales!

Order program

Selectech

