

οθόνη LCD θερμόμετρο ψηφιακό υγρόμετρο εσωτερική SE-HTC-1



Χαρακτηριστικά:

Θερμοκρασία οθόνη, η υγρασία και ο χρόνος ταυτόχρονα

Μνήμη του MAX & amp? τιμή μέτρησης MIN

12-ώρες / 24 ώρες που εμφανίζουν επιλέξιμο σύστημα

«C /» μονάδα επιλέξιμο F

Λειτουργία συναγερμού Integral-ωρη

Λειτουργία συναγερμού

Ρολόι & amp? Λειτουργία ημερολογίου (μήνας και ημερομηνία)

Επιτραπέζια τοποθέτηση ή στον τοίχο

προδιαγραφές:

Εύρος θερμοκρασίας	-50 ~ + 70°C (-58 ~ + 158°F)
εύρος υγρασίας	10% ~ 99% RH
θερμοκρασία Ανάλυση	0.1 ° C (0.1 ° F)
Ψήφισμα υγρασία	1% RH
θερμοκρασία ακρίβεια	± 1 ° C (1.8 ° F)
Ακρίβεια υγρασίας	± 5% RH (40% ~ 80%)
τροφοδοτικό	1.5V (AAA) x 1
Μέγεθος	105 x 98 x 20 χιλιοστά
Βάρος	190 g

συνθήκες φύλαξης	-20'C ~ 60'C, 20 ~ 80% RH

Πακέτο:

το προϊόν LCD 1 x

1 x Εγχειρίδιο χρήσης

μπαταρία AAA 1 x

Approval Certification:



Why Choose US :

Our goal is to provide customers products of high quality, competitive price, and superior services.

- 1.Established in 2005, about 10 years of history;
- 2.Own main factories, supply diversification products and One stop service
- 3.Certificates of ISO9001, UL, CE, EMC,CQC,RoHS,Reach,etc.
- 4.Six years Gold member in Alibaba, Aliexpress etc
- 5.Production capability more than 100 thousands pcs/ month;
- 6.Monthly export more than 50 times delivery;
- 7.Exported to more than 20 countries and regions;
- 8.We provide an excellent combination between prices, quality & respond,delivery,after-sales!

Order program

Selectech

