

# Microscopio digitale di confronto di proiettore di wifi microscopio di microscopio di messa a fuoco atomica digitale diretto del microscopio di prezzi della fabbrica

## Caratteristiche:

1. Una buona qualità da usare nella dissezione / esame del controllo, dissezione / esame della pianta, esame della pelle,
2. Esame degli scalini, ispezione dei tessuti, ispezione dei gioielli, controllo delle collezioni / monete, ispezione di stampa, ispezione PCB o PCBA e così via.
3. Il microscopio è costituito da componenti elettronici e di alta qualità, con una qualità dell'immagine chiara, basso consumo energetico, alta risoluzione, si applica a piccoli oggetti per essere più grandi
4. La produzione di foto e video è la scelta migliore per il riconoscimento di piccoli oggetti.

<b>Specifiche di prodotto</b>	
Ingrandimento del prodotto	50X-1000X
Struttura della lente	2G + IR
Campo visivo	16 ° (a seconda dell'obiettivo)
Numero di LED	8 SMD3528 evidenziare le luci bianche (luminosità regolabile)
Modalità di messa a fuoco e gamma di messa a fuoco	regolazione manuale, 0 ~ 40mm
Distanza di imaging	Da 3 mm all'infinito
Dimensione del sensore	1/4
Rapporto segnale-rumore	37dB
sensibilità	4300mV / lux-sec
Formato di registrazione video	AVI
Risoluzione video	720x480, 640x360, 480x272
Formato fotografico	JPG
Dimensione della foto	720x480, 640x360, 480x272
Campo di lavoro	0-10 m (scena vuota, la scena occlusa influenzerà il raggio di lavoro)
Orario di lavoro	≥90 minuti (stato di piena potenza, la durata della batteria influisce anche sulle ore di lavoro)
Modalità di alimentazione	Batteria al litio integrata da 800mAh
Domanda di ricarica	DC-5V 1A ~
Corrente di lavoro	~ 260mA
Dimensioni stand-alone	133,5x34x34mm (leggera deviazione dalla misurazione manuale)
Colore del prodotto	nero (specificamente soggetto al prodotto reale)
Ambiente di lavoro WiFi	Android4.0 e versioni successive, ios8.0 e versioni successive
Ambiente di lavoro WiFi che supporta i requisiti delle apparecchiature	supporta apparecchiature di trasmissione dati wireless 2.4Ghz (8201.11b / g / n)
Ambiente di lavoro USB	Windows xp, win7, win8.1, win10 (32, 64 bit), Mac OS x 10.5 o versioni successive. (È possibile utilizzare il dispositivo di supporto USB ~ UVC)
Temperatura di lavoro	0 ° C - 40 ° C
Temperatura di conservazione	-20 ° C - 60 ° C
Umidità di lavoro	30-60% di umidità relativa
Umidità di conservazione	10-80% di umidità relativa

2 tipi di selezione delle parentesi

1. Supporto della stazione di lavoro dell'elevatore regolabile disponibile  
Supporto metallico di tipo 2.U (imballaggio standard)

**Product Pictures:**





Micro USB

Power Button /  
Brightness Control

LED indication  
light / Reset

Photo / Video



Focus wheel

Lift  
Adjustment  
Knob




8 LED Lights



Securing clip





**Il prezzo dei due tipi di parentesi è diverso. Si prega di consultare il negozio per il prezzo specifico.**

1. Supporto della stazione di lavoro dell'elevatore regolabile disponibile  
Supporto metallico di tipo 2.U (imballaggio standard)

### **Lista dei pacchetti**

1. Microscopio WiFi x 1
2. Treppiede in metallo x 1
3. Istruzioni x 1
4. Base x 1
5. Cavo di ricarica x 1

**Product Features:**

**Union Safety Certification Service**  
**EC Declaration of Conformity**

No. 20-170892

The following products have been tested by us with the listed standards and found to comply with the European Community Low Voltage Directive (LVD) 2006/95/EC and 2006/65/EC.

Assessment of compliance of the product with the requirements was based on the following elements:

**EN60335-1:2012**  
**EN62233-2:008**

**Applicant:** : Sebaton Electronics Co., Ltd  
**Address:** : No.55, Renhe Road, Renhe Town, Baiyun District, Guangzhou, China  
**Product:** : Humidity & Temp Sensor  
**Model No.:** : AM2301AM2302AM2303AM2304AM2305AM2306AM2321  
**Input Ratings:** : 3.3-5.0V  
**Ref. Test Report:** : 1602483 001




The statement is based on a single declaration of one sample of electro-technical products. It does not imply an endorsement of the above products and does not prevent the use of the term 'RoHS'. The manufacturer should ensure that all products in same production are in conformity with the product sample declared on the report. The signatory should not be held responsible in the event of a change of the type.

This CE mark should not be used under the responsibility of the signatory after completion of an EC Declaration of Conformity and compliance with all relevant CE directives.

Union Safety Certification Service  
Address: 888, Huan Building, No. 751, Huangpu Street, Guangzhou, P.R.C.  
Web: www.uscc.com.cn

**Union Safety Certification Service**  
**Declaration of Compliance**

No. 1602483 001

**Applicant:** : Sebaton Electronics Co., Ltd  
**Address:** : No.55, Renhe Road, Renhe Town, Baiyun District, Guangzhou, China  
**Product:** : Humidity & Temp Sensor  
**Model No.:** : AM2301AM2302AM2303AM2304AM2305AM2306AM2321  
**Input Ratings:** : 3.3-5.0V  
**Ref. Test Report:** : 1602483 001

This is to certify that, on the basis of the tests undertaken on report no.: 1602483 001, the submitted sample of the above item complies with:  
**2011/65/EU**  
**2002/95/EC**

**RoHS**

Signed and on behalf of  
Union Safety Certification Service



Union Safety Certification Service  
Address: 888, Huan Building, No. 751, Huangpu Street, Guangzhou, P.R.C.  
Web: www.uscc.com.cn

  
**QUALITY MANAGEMENT SYSTEM**  
**CERTIFICATE**

Certificate No.: 00110021-0001001002

We hereby certify that  
Zhejiang New-age Electronic Facility Co., Ltd  
Sebaton Electronics Co., Ltd  
Wen Yong Industry Zone, Xiaoling, Zhejiang, China

in respect of its  
**Quality Management System**  
has been awarded this certificate for compliance with the standard  
**ISO9001:2008**  
**GB/T 19001-2008**

The Quality Management System Applied in the following areas:  
Production and Service of the above-mentioned products.

Exclusive Design and Development Requirement  
Valid from: Jan 11, 2009    Valid to: Feb 08, 2010    Valid until: Feb 08, 2010

This certificate is only valid if the certificate holder complies with all conditions of the certificate and complies with the conditions of the certificate.






**CHINA QUALITY CERTIFICATION CENTRE**  
Address: No. 20, Zhongshan Road, Beijing, P.R.C. Tel: 8610-63763111 Fax: 8610-63763111  
Web: www.cqc.com.cn



## Why Choose US :

Our goal is to provide customers products of high quality, competitive price, and superior services.

- 1.Established in 2005, about 10 years of history;
- 2.Own main factories, supply diversification products and One stop service
- 3.Certificates of ISO9001, UL, CE, EMC,CQC,RoHS,Reach,etc.
- 4.Six years Gold member in Alibaba, Aliexpress etc
- 5.Production capability more than 100 thousands pcs/ month;
- 6.Monthly export more than 50 times delivery;
- 7.Exported to more than 20 countries and regions;
- 8.We provide an excellent combination between prices, quality & respond,delivery,after-sales!

