## Product Features:

◆ periscopio, ispezione all'interno di parti, tubi, ecc
◆ Microscopio, controlla la scheda di circuiti stampati (PCB), ingrandire oggetti d'antiquariato, insetti, parti di macchine, tessuti, decorazioni e ecc
◆ PC camera.

## SPECIFICA TECNICA

◆ Interfaccia: USB 2.0.
◆ 30 fotogrammi / sec (CIF e VGA)
◆ Distanza focale: 3mm - infinito
◆ Ingrandimento: 1x - 200 regolabile
◆ lunghezza del cavo USB: 2 metri;
◆ Utilizzare per Windows XP, Vista, Windows 7, Wingdows 8 & amp; MAC
◆ lega di alluminio Stand: di alto livello è regolabile
◆ direzione penna: 360 regolabile

| Distanza focale | Orizzontale | Verticale | Ingrandimento |
|---|---|---|---|
| 3 millimetri | 0,8 millimetri | 0,65 millimetri | 200X |
| 25 millimetri | 13 millimetri | 10 millimetri | 15X |
| 75 millimetri | 44 millimetri | 32 millimetri | 5X |
| 100 millimetri | 55 millimetri | 41 millimetri | 3X |
| 120 millimetri | 66 millimetri | 49 millimetri | 2.5X |

**FUNZIONI SOFTWARE**

◆ Immagine disco Fermo ◆ Snap ◆ Video ◆ 10 secondi di temporizzazione scatto ◆ Zoom in & amp; diminuire

## Product Pictures:

| Reflector | Specula | Focusing Cap | Tube |
|---|---|---|---|
| | | | |
| | | | |

## More models and specification to choose:

| Tube | Picture | Model No. | Pixel | Resolution | Diameter | Length | Zoom | Feature |
|---|---|---|---|---|---|---|---|---|
| 12mm | | SE-12U200-2.0M | 2.0M | 1600 X 1200 | 12mm | 140mm | 1X-200X | USB type |
| | | SE-12U200A-2.0M | 2.0M | 1600 X 1200 | 12mm | 140mm | 1X-200X | USB type& Mobile type (Android system) |
| | | SE-12AV200-0.3M | 0.3M | 640 x 480 | 12mm | 140mm | 1X-200X | AV type |
| 8mm | | SE-8U300-2.0M (With adjustable Working Station Stand) | 2.0M | 1600 X 1200 | 8mm | 170mm | 1X-300X | USB type |
| | | SE-8U300-2.1M (With Universal Rotation adjustable stand) | 2.0M | 1600 X 1200 | 8mm | 170mm | 1X-300X | USB type |

## Product Packaging:

GW / G.W .: 27 KGS
NW / N.W .: 26 KGS
al di fuori delle dimensioni di dialogo / MEAS .: 55x40x40 CM

## LISTA IMBALLAGGIO:

| | |
|---|---|
| USB PEN MICROSCOPIO | 1 |
| Lega di alluminio stand | 1 |
| Riflettore | 1 |
| Tubo multifunzione | 1 |
| Large Cap | 1 |
| Ear speculare | 1 |
| CD del software (Software e manuale d'uso in dotazione) | 1 |

## Approval Certification:

Union Safety Certification Service

*Declaration of Compliance*

Applicant : Selectech Electronics co.,Ltd

Address : No.56, Renhe Road, Renhe Town, Baiyun District, Guangzhou, China

Product : Humidity & temp Sensor

Model No. : AM2301/AM2302/AM2303/AM2305/AM2306/AM2321

Input Ratings : 3.5-5.5V

Ref. Test Report : 16052483.001

This is to certify that , on the basis of the tests undertaken as report no.: 16052483.001, we the submitted sample of the above item complies with:

2011/65/EU

2002/95/EC

**RoHS**

Signed and on behalf of,

Union safety Certification Service

Date of issue: 06,Dec,2016

## Why Choose US :

Our goal is to provide customers products of high quality, competitive price, and superior services.

1.Established in 2005, about 10 years of history;

2.Own main factories, supply diversification products and One stop service

3.Certificates of ISO9001, UL, CE, EMC,CQC,RoHS,Reach,etc.

4.Six years Gold member in Alibaba, Aliexpress etc

5.Production capability more than 100 thousands pcs/ month;

6.Monthly export more than 50 times delivery;

7.Exported to more than 20 countries and regions;

8.We provide an excellent combination between prices, quality & respond,delivery,after-sales!