

☐☐☐☐☐ PCL PLA ABS ☐☐☐☐☐☐☐☐☐☐ 3D ☐☐☐☐☐☐ ☐☐☐☐☐☐☐☐☐☐

☐☐☐☐☐



3D

- 3D
- 3D

PRODUCT DESCRIPTION

SELECTECH

1,1.75mm PCL

2

3: 12v/2A

4: PLA(180-190°C)ABS(200-220°C)PCL(80-90°C)

	DC5V 2A
	0.7mm
	49g
	1.75mm PLA/PCL/ABS/(())
	PLA(180-190°C)ABS(200-220°C)PCL(80-90°C)
	/ /EU/ ()

2 Filament Modes

PCL & PLA. Free to choose printing material.

PCL

Low temperature

80°C~90°C

PLA

High temperature

180~190°C



1. PLA、PCL、ABS 3D 프린팅 재료 선택 가능

2. 온도 조절 및 USB 충전 가능

3. 온도 표시 및 온도 조절 버튼

4. 온도 표시

5. OLED 온도 표시

4. 온도 표시

5. 3D 프린팅 재료 선택 가능

□□

3D PEN

Give the child a different creative experience

Draw a different world, and a different color



ENVIRONMENTAL SUPPLIES



SILENT OPERATION



STEPPED SPEED CHANGE



INTELLIGENT THERMOSTAT

EXQUISITE QUALITY COMES FROM EVERY DETAIL



ADVANTAGES OF THE SHOW




Low temperature, Can be painted in hand



Compact and lightweight, Ergonomic design



LCD Display, observe the temperature



The power input hole can be connected to the mobile power supply

PACKAGING DISPLAY



1x Manual



1x Bracket



1x Power adapter



5m Filament

Operating Steps

01 POWER

Power on,Oled display 3D PEN



02 Mode Choice

Press any key to enter PCL mode



03 Speed and Temperature adjust

Press and hold "M" key for 2 seconds, wait until temp display flashes, and adjust temperature



04 Preheating

Press "V" button into the temperature automatically rises to the default setting temperature



05 loading filament

When the preheating is over, enter the working state and insert the consumables into the inlet and outlet.



06 One key retreating

Press the "V" button to return the filament,.



Low temperature mode

You can paint directly on your skin











Profession 3D Printing Pen

PCL

PLA

- ✓ High temperature
- ✓ Low temperature



product detail presentation





3D





5

								:
--	--	--	--	--	--	--	--	---

□□: 1 □/□□□□□□ N.W: 0.45kg □□□□: 22*17*6.3CM

								:
--	--	--	--	--	--	--	--	---

□□: 50 □/ctn G.W: 18KGS□N.W: 17 KGS□CTN □□□: 59.5*47.5*23 □□□□□□

55

1 3D 1 1 1 USB 3*3m PLA (1*5m PLA)

Figure 3: The 3D model of the 4-DOF robot arm. The base is fixed to the ground. The joint angles are defined as follows: θ_1 is the angle between the first link and the vertical axis; θ_2 is the angle between the second link and the horizontal axis; θ_3 is the angle between the third link and the horizontal axis; θ_4 is the angle between the fourth link and the horizontal axis.

2 *

1 * 3D

1 *

:





Contact supplier

0000 0000000000000000 7 00000000

COMPANY INFORMATION

• SELECTECH •

About us



✓ Quality



✓ Experience



✓ Service



✓ Produce



Selectech Electronics Co.,Ltd

- Welcome to ShenZhen Selectech Electronics Co., Limited. -- Your power sourcing for smart home and home health&beauty care products, consumer electronics, plastics products! Selectech is 11 years gold supplier in alibaba with trade assurance.



Office room



Team picture (1)



Team picture (2)

- Selectech was founded in Shenzhen in year 2005. Selectech invested factories focuses on production and R&D for smart home, home health care Otoscope&Camera,home consumer electronics. like Alexa Echo Google home control WiFi smart socket plug, USB charger wall socket receptable,smart fast wall charger, universal travel adapter,ENT otoscope,oral camera, USB&Wireless microscope and endoscope,DLP projector,baby monitor ect.

Our factory



- Welcome to visit our website and factory to know more. We can supply the mould, R&D, custom and OEM/ODM service as per your request! Over 16 years Experiences in manufacturing & business, support customers with good service of rich experience which will save customer's working time to meet win-win!

Professional manufacturer



WELCOME TO ORDER



- Our aim is: "Top quality, Customer benefit firstly". Our company is based on "Credibility", aimed at "Win-Win" and took "service" as bounden duty. All products are strictly followed ISO9001:2008 and met CE, BSI, FCC, UL and RoHS standard.

Production process



Customer photoes

- Selectech Electronics is constantly improving itself at the spirit of building brand products and striding towards diversity and scale. Selectech has its own experienced technology engineers, modern management team, strong technical strength, advanced injection and testing machines and perfect quality control system to guarantee the quality, security and punctuality of delivery.



- Looking forward to cooperating with you!
Selectech is your reliable and the best partner to start your business!

Certificate



Our advantages

Why choose us



16 years OEM&ODM experience.



Custom-made products and packing as per customer's request.



Supply free cost samples.



All goods must be passed QA, QC, FQC inspect and test.



Quickly delivery time. Small qty have stock, Lots qty, it's about 20-25days.



We can supply drop shipping, cheapest and economic Express shipment.



We can collect all goods to ship for our customers.



Supply after-sales and quality guarantee service.



With FCC, CE, ETL, ROHS quality certification.



With ISO9001 Quality management system.

□□□□□

Shipping choice



□□□□□□

FAQ

1.□□□□□□□□□□□□□□?

□ □

2. □□□□□□□□□□□□□□?

[illegible]

3.

[illegible]

4. 請提供產品規格書

請提供產品USB規格書，並說明產品之主要規格、功能、使用說明、注意事項等，以利我們了解產品之特性與用途。

5. 請提供產品圖？

EXW、FOB、CIF 請提供產品之包裝規格、數量、運輸方式、保險費等資訊。

6. 請提供產品規格書

請提供產品規格書，並說明產品之主要規格、功能、使用說明、注意事項等，以利我們了解產品之特性與用途。

7. 請提供產品規格書？

請提供產品規格書，並說明產品之主要規格、功能、使用說明、注意事項等，以利我們了解產品之特性與用途。

8. 請提供產品規格書？

OEM/ODM 請提供產品之包裝規格、數量、運輸方式、保險費等資訊。

Contact supplier

請提供產品規格書，並說明產品之主要規格、功能、使用說明、注意事項等，以利我們了解產品之特性與用途。