

USB Type-A to USB Type-C Adapter

2.0 USB Type-A to USB Type-C Adapter 2.0 Quick Charge USB Type-A to USB Type-C Adapter 2.0 USB Type-A to USB Type-C Adapter 2.0 USB Type-A to USB Type-C Adapter 2.0 USB Type-A to USB Type-C Adapter 15A TR 3.0 USB Type-A to USB Type-C Adapter

- | | |
|-------------------|----------------|
| ■ Cafes | ■ Labs |
| ■ Office | ■ Office |
| ■ Kitchens | ■ Salons |
| ■ Bedrooms | ■ Hotels |
| ■ Restaurants | ■ Schools |
| ■ Meeting Rooms | ■ Libraries |
| ■ Airport Lounges | ■ Workstations |



USB

2.0

15A

125V

15A

USB Type-A to USB Type-C

PC

USB

USB DC 5.0V 4000mA 2100mA

USB

10000

ETL CE ROHS

3KV / AC

500VDC / 100MΩ

USB

115 x 70 mm

10000

-10°C + 40°C; 20 90

-20°C + 85°C; 10 95 RH



USB





①

XJY-USB-30-A/A

AC input parameters: AC125V

USB output voltage: DC 5.0V

USB output current: 2.1 A

USB:TYPE A+TYPE A

Color: White

2

XJY-USB-31-A/A

AC input parameters: AC125V

USB output voltage: DC 5.0V

USB output current: 2.1A

USB:TYPE A+TYPE A

Color: White



3

XJY-USB-30-A/C

AC input parameters: AC125V

USB output voltage: DC 5.0V

USB output current: 2.1A

USB: TYPE A+TYPE C

Color: White

4

XJY-USB-31-A/C

AC input parameters: AC125V

USB output voltage: DC 5.0V

USB output current: 2.1A

USB TYPE A+TYPE C

Color: White

1111

1999 USB wifi
OEM ODM
ISO9001 2008

