

More models you can choose !



SE-MQ LED

Product

Selectech

Selectech & 038; HVAC

Selectech

Selectech HydroProbe

Selectech & 038;

Selectech LED

& 038;

Supply Voltage	12-36V DC
Relative Humidity	0..100%RH
Accuracy	±0.5%RH
Operating Voltage	0-5V DC or 0-10V DC or 4-20mA RS485
Operating Temperature	+ -2%RH to +95%RH or +25Celsius to + -5%RH to -40..80Celsius
Response Time	+ -0.3%RH
Resolution	+ -0.3%RH
Resolution	0.1%RH
Resolution	+ -0.5%RH
Material	DS18B20
Temperature	±25Celsius to ± -0.3Celsius
Operating Voltage	0-5V DC or 0-10V DC or 4-20mA RS485
Operating Temperature	0-50Celsius to -20-80Celsius PCB or -40-60Celsius
Operating Temperature	-40..80Celsius
Material	ABS
Dimensions	Max 1.5mm ²

SE-MQ



□□□□·□□□□

SE-MQ3005□□□□&□□□□□□0□5V DC □ LED□□□□□□□□□□

SE-MQ3105LED□□□□&□□□□□□0□5V DC □ LED□□□□□□□□□□

SE-MQ3010□□□□&□□□□□□0□10V DC; LED□□□□□□□□□□

SE-MQ3110LED□□□□&□□□□□□0□10V DC; LED□□□□□□□□□□

SE-MQ3020□□□□&□□□□□□4□20□□□□□□□□ LED□□□□□□□□□□

SE-MQ3120LED□□□□&□□□□□□4□20□□□□□□□□ LED□□□□□□□□□□

SE-MQ3485 & RS485 LED
 SE-MQ3485 LED & RS485 LED

□□□□



□□□□□□□□

- 2005 1. Established
2. Owns
- ISO9001 UL CE SGS EMC CQC
3. Certificates
- Aliexpress
4. Six
5. Production 100
6. Monthly 50
- 20
7. Exported
8. We & 038



send us inquiry



receive our quotation



negotiate details



mass production



sign contract / deposit



confirm the sample



cargo ready



balance / delivery



further cooperation

