

More models you can choose !



LED SE-MF

Product

Selectech

Selectech & 038; HVAC

Selectech

Selectech HydroProbe

Selectech & 038;

Selectech LED LED

& 038;

Supply Voltage	12-36V DC
Relative Humidity	0..100%RH
Accuracy	±0.5%RH
Power Supply	0V DC to 10V DC 4-20mA RS485
Operating Temperature	+ -2%RH to 95%RH 25Celsius < + - 5%RH -40..80Celsius
Storage Temperature	+ -0.3%RH
Resolution	+ -0.3%RH
Response Time	0.1%RH
Humidity Hysteresis	+ -0.5%RH
Display	DS18B20
Temperature Accuracy	±25Celsius ± -0.3Celsius
Power Supply	0V DC to 10V DC 4-20mA RS485
Operating Temperature	0 to 50Celsius -20 to 80Celsius PCB -40 to 60Celsius
Storage Temperature	-40..80Celsius
Material	ABS
Dimensions	Max 1.5mm ²

038;



□□□□•□□□□

SE-MQ3005□□□□&□□□□□□0□5V DC □ LED□□□□□□□□□□□□

SE-MQ3105LED□□□□&□□□□□□0□5V DC □ LED□□□□□□□□□□□□

SE-MQ3010□□□□&□□□□□□0□10V DC; LED□□□□□□□□□□□□

SE-MQ3110LED□□□□&□□□□□□0□10V DC; LED□□□□□□□□□□□□

SE-MQ3020□□□□&□□□□□4□20□□□□□□□□ LED□□□□□□□□□□□□

SE-MQ3120LED□□□□&□□□□□4□20□□□□□□□□ LED□□□□□□□□□□□□

SE-MQ3485□□□□&□□□□RS485□□□□ LED□□□□□□□□□□□□

SE-MQ3485LED□□□□&□□□□RS485□□□□ LED□□□□□□□□□□□□

□□□□□



send us inquiry



receive our quotation



negotiate details



mass production



sign contract / deposit



confirm the sample



cargo ready



balance / delivery



further cooperation

