



5Am ㄱㄱ-ㄱㄱ ㄱㄱㄱ ㄱㄱㄱ ㄱㄱ ㄱㄱ ㄱㄱㄱ-ㄱㄱ ㄱㄱㄱ ㄱㄱ-ㄱㄱ ㄱㄱ ㄱㄱ **SE-CP1**



P ㄱㄱ ㄱㄱ:

1. ㄱㄱ: 250V ~ (ㄱㄱ: 3A, 5A ㄱ 13A ㄱㄱㄱ ㄱㄱ)
2. ㄱㄱ: ㄱㄱ, ㄱㄱ
3. ㄱ: ㄱㄱ 3ㄱㄱ ㄱㄱㄱㄱ ㄱ. (ㄱㄱㄱㄱ ㄱㄱ, ㄱ ㄱ ㄱㄱ ㄱㄱㄱㄱㄱ)
4. ㄱㄱ: ㄱㄱ(ㄱㄱ "ㄱㄱㄱㄱㄱ"ㄱ ㄱㄱㄱ ㄱㄱㄱㄱ), ㄱ ㄱㄱ ㄱㄱ (Φ 4.0mm) ㄱ ㄱㄱㄱㄱ ㄱㄱㄱ ㄱㄱㄱㄱㄱ ㄱㄱㄱㄱㄱ ㄱㄱㄱㄱㄱ. ("ㄱ ㄱㄱ" ㄱㄱㄱ)
5. ㄱㄱ: ㄱㄱ ㄱㄱㄱ, ㄱ ㄱㄱ ㄱㄱ ㄱㄱㄱㄱ ㄱㄱㄱ ㄱ ㄱㄱㄱㄱ ㄱㄱㄱㄱ ㄱㄱㄱㄱ. ㄱ ㄱㄱㄱㄱ ㄱㄱㄱㄱㄱ ㄱㄱㄱ ㄱㄱㄱ ㄱㄱㄱ ㄱㄱㄱㄱ ㄱㄱㄱㄱ.
6. ㄱㄱ ㄱㄱ: ㄱㄱ ㄱ ㄱㄱ ㄱㄱ(ㄱ: ㄱㄱㄱㄱㄱㄱ/ㄱㄱ ㄱㄱㄱ/ㄱㄱ ㄱㄱㄱ), ㄱㄱ, DVD, ㄱㄱㄱㄱ, ㄱㄱ ㄱㄱㄱ... ㄱ ㄱㄱ ㄱㄱ ㄱㄱㄱㄱ.

8, 00 00: 00, 00, 00, 0000, 00000, 00, 0000, 000, 000 00, 00, 0000, 00000, 0000, 0000, 00, 00, 000, 000, 0000, 00, 0000 00.

00 00:00





* 100 (100) = 100 (100) (100) (100)

*** GW / GW: 23.00 KGS**

* 重量 / 容積: 21.00 KGS

* 鋼板厚さ / 間隔: **56×44.5×34** mm



□ □□□ □□ □□□□ :

1. 2005□□ □□□□ □ 10□□ □□□ □□□ □□□□.
2. □□ □□□ □□□□ □□□ □□□ □□□ □□□□ □□□□□.
3. ISO9001, UL, CE, SGS, EMC, CQC, Reach □□ □□□
4. Alibaba, Aliexpress □□ 6□ □□ □□
5. □□ □□□ 100,000□/□ □□□□□.
6. □□ □□ 50 □ □□ □□;
7. 20□ □□□ □□□ □□□□ □□□□□.
8. □□□ □□, □□ □ □□, □□, □□□ □□□ □□ □□□ □□□ □□□□□!



send us inquiry



receive our quotation



negotiate details



mass production



sign contract / deposit



confirm the sample



cargo ready



balance / delivery



further cooperation