

PLA 3D 6 3D

3D



- 3d

• 3d

• 3D

PRODUCT DESCRIPTION

SELECTECH

:

1,1.75mm PCL

2,

3, : 12v/2A

4, : PLA(180-190°C), ABS(200-220°C), PCL(80-90 °C) , ,

	DC 5V 2A
	0.7mm
	49g
	, , , ,
	1.75mm PLA/PCL/ABS/(())
	PLA(180-190°C) , ABS(200-220°C) ,PCL(80-90°C)
	/EU/AU

2 Filament Modes

PCL & PLA. Free to choose printing material.

PCL

Low temperature

80°C~90°C

PLA

High temperature

180~190°C



1. PLA, PCL, ABS 3D 打印材料 3D 打印 3D 打印 3D 打印。
2. 3D 打印 3D 打印 3D 打印 USB 3D 打印 3D 打印 3D 打印
3. 3D 打印 3D 打印 3D 打印 3D 打印 3D 打印
4. 3D 打印 3D 打印
5. OLED 3D 打印 3D 打印 3D 打印
4. 3D 打印 3D 打印 3D 打印。
5. 3D 打印 3D 打印 3D 打印 3D 打印 3D 打印 3D 打印 3D 打印 3D 打印。

3D

3D PEN

Give the child a different creative experience

Draw a different world, and a different color



ENVIRONMENTAL SUPPLIES



SILENT OPERATION



STEPPED SPEED CHANGE



INTELLIGENT THERMOSTAT

EXQUISITE QUALITY COMES FROM EVERY DETAIL



ADVANTAGES OF THE SHOW




Low temperature, Can be painted in hand



Compact and lightweight, Ergonomic design



LCD Display, observe the temperature



The power input hole can be connected to the mobile power supply

PACKAGING DISPLAY



1x Manual



1x Bracket



1x Power adapter



5m Filament

Operating Steps

01 POWER

Power on, Oled display 3D PEN



02 Mode Choice

Press any key to enter PCL mode



Long press the "M" button to switch between PLA and PCL mode

03 Speed and Temperature adjust

Press and hold "M" key for 2 seconds, wait until temp display flashes, and adjust temperature



04 Preheating

Press "V" button into the temperature automatically rises to the default setting temperature



05 loading filament

When the preheating is over, enter the working state and insert the consumables into the inlet and outlet.



06 One key retreating

Press the "V" button to return the filament.



Low temperature mode

You can paint directly on your skin











Profession 3D Printing Pen

PCL

PLA



High temperature



Low temperature



product detail presentation





四個顏色，3D 筆 3 個





11/11

□□ □□ □□□□:

重量: 1pc/箱 箱重: 0.45kgs 箱尺寸: 22*17*6.3CM

□□ □□ □□□□:

□□:50pcs/ctn G.W:18KGS, N.W:17 KGS, CTN □□:59.5*47.5*23cm

□	□	□	□	:
---	---	---	---	---

1 3D 1 1 1 USB 3*3m PLA (1*5m PLA)

အချက်အလက်: ဤစာချုပ်သည် အောက်ဖော်ပြပါ အချက်များကို မူတည်၍ ပြုစုထားပါသည်။

2pcs* 1000 1000

1*3D 1000 1000

1 *1000 1000 1000

1000 1000 1000, pls 1000 1000 1000 1000 1000! 1000 1000 1000.





Contact supplier

00 00 00 000000 000000,
00 000 0 00 0000 0000. 70 00 00

COMPANY INFORMATION

• SELECTECH •

About us



✓ Quality



✓ Experience



✓ Service



✓ Produce



Selectech Electronics Co.,Ltd

- Welcome to ShenZhen Selectech Electronics Co., Limited. -- Your power sourcing for smart home and home health&beauty care products, consumer electronics, plastics products! Selectech is 11 years gold supplier in alibaba with trade assurance.



Office room



Team picture (1)



Team picture (2)

- Selectech was founded in Shenzhen in year 2005. Selectech invested factories focuses on production and R&D for smart home, home health care Otoscope&Camera,home consumer electronics. like Alexa Echo Google home control WiFi smart socket plug, USB charger wall socket receptable,smart fast wall charger, universal travel adapter,ENT otoscope,oral camera, USB&Wireless microscope and endoscope,DLP projector,baby monitor ect.

Our factory



- Welcome to visit our website and factory to know more. We can supply the mould, R&D, custom and OEM/ODM service as per your request! Over 16 years Experiences in manufacturing & business, support customers with good service of rich experience which will save customer's working time to meet win-win!

Professional manufacturer



WELCOME TO ORDER



- Our aim is: "Top quality, Customer benefit firstly". Our company is based on "Credibility", aimed at "Win-Win" and took "service" as bounden duty. All products are strictly followed ISO9001:2008 and met CE, BSI, FCC, UL and RoHS standard.

Production process



Customer photoes



- Selectech Electronics is constantly improving itself at the spirit of building brand products and striding towards diversity and scale. Selectech has its own experienced technology engineers, modern management team, strong technical strength, advanced injection and testing machines and perfect quality control system to guarantee the quality, security and punctuality of delivery.



- Looking forward to cooperating with you!
Selectech is your reliable and the best partner to start your business!

Certificate



Our advantages



Why choose us



16 years OEM&ODM experience.



Custom-made products and packing as per customer's request.



Supply free cost samples.



All goods must be passed QA, QC, FQC inspect and test.



Quickly delivery time. Small qty have stock, Lots qty, it's about 20-25days.



We can supply drop shipping, cheapest and economic Express shipment.



We can collect all goods to ship for our customers.



Supply after-sales and quality guarantee service.



With FCC, CE, ETL, ROHS quality certification.



With ISO9001 Quality management system.

00 00

Shipping choice



0000 00

FAQ



1. 000 000 0 000?

0, 00 00 00 000 00000. 000 00000 0000.

2. 00 000 00000?

000 T/T, 000, 000 0000 000000. 0000, 00 00 00.

3. 000 000 00 00 0 000?

000 00000 000 000 00 0 2400 000 000 00000. 000 00 000 00 00 000 00000 000 0 000 000 000000 0000 00 0000.

4. □□□ □□ □□□□ □ □ □□□□?

[illegible]

5. □□ □□□ □□□□□?

□□ EXW, FOB, CIF □□ □□□□. □□ □□□□ □□ □□□□ □□ □□□ □ □□□□.

6. □□□□ □□□□ □□ □□?

[illegible]

7. □□□□ □□□ □□ □□□ □ □ □□□?

0, 00 0000 0000 00 00 0000 00000. 0000 00 0000 00 0000 0000 0 0000 0000 00 0000 000000.

8. □□□ □□ □□□□ □□□□□?

OEM/ODM 廠商。 我們 在 2019 年 R&D 費用 佔 總 收入 的 比例 為 1.2%， 2020 年 為 1.5%， 2021 年 為 1.8%， 2022 年 為 2.1%， 2023 年 為 2.4%， 2024 年 為 2.7%， 2025 年 為 3.0%， 2026 年 為 3.3%， 2027 年 為 3.6%， 2028 年 為 3.9%， 2029 年 為 4.2%， 2030 年 為 4.5%。

Contact supplier

00 00 00 000000 000000,
 00 000 0 00 00000 0000. 70 00 00