


SE-1360 & A; SE-1360

Product :

- 1) LCD
- 2) ON/OFF button
- 3) Temperature and humidity switch button
- 4) Hold reading button
- 5) MAX/MIN measurement
- 6) DC adaptor socket
- 7) Battery door

Parts description



- 1) Temperature and humidity sensor
- 2) LCD
- 3) ON/OFF button
- 4) Temperature and humidity switch button
- 5) Hold reading button
- 6) MAX/MIN measurement
- 7) DC adaptor socket
- 8) Battery door

Specifications :

- * Temperature : -10 °C ~ 50 °C
- * Humidity : ± 1.0 % RH ± 1.8 % RH
- * Humidity : 5 % RH ~ 98 % RH
- * Humidity : ± 3 % (30~95%); ± 5 % (10 ~ 30 %) (Relative Humidity)
- * Temperature / Humidity
- * Humidity
- * Humidity
- * Humidity : 0.1 °C
- * Humidity : 0.1 % RH
- * Humidity : 2.5times / min
- * Temperature / Humidity
- * LCD & A; SE-1360

□□ □□ :

* □□ □□ + PP □□

* □□ : 9V □□□

* □□ □□ : 207 * 70 * 30mm



Why Choose US :

Our goal is to provide customers products of high quality, competitive price, and superior services.

1. Established in 2005, about 10 years of history;
2. Own main factories, supply diversification products and One stop service
3. Certificates of ISO9001, UL, CE, EMC, CQC, RoHS, Reach, etc.
4. Six years Gold member in Alibaba, Aliexpress etc
5. Production capability more than 100 thousands pcs/ month;
6. Monthly export more than 50 times delivery;
7. Exported to more than 20 countries and regions;
8. We provide an excellent combination between prices, quality & respond, delivery, after-sales!

Order program

Selectech



send us inquiry



receive our quotation



negotiate details



mass production



sign contract / deposit



confirm the sample



cargo ready



balance / delivery



further cooperation