Product Features:

□□ □□: wifi □ □□
□□ □□: 8.0 m M
□□□ 640 * 480, 1280 * 720
□□□ □□: 3.5 m
□□ □□: 1 / 5 □□
□□□ □□: 30fps
□□ □□: 70 degreeFocal □□: 4-10 CM.
□□ □□: IP67
□□ □: □□
70□ □□: 0□
□□: □□□ □□
□□□: ios □ □ □□□ □□□ □□
□□ □□: MJPEG
□□□ □□ AVI
□□ □□□□: □□□ intraoral □□□ □□□, □ □ □□□, □□ □□□□-□□□, □□□ □□□, □ □□ □□□□□ □□□, □ □ □ □□, □□ □ □□□ □□ □□□, □□□ □□, PCB □□, □□ □□, □□ □ □□ □□, □□ □ □□□ □□, □□ □□, □□ □□ □□□

□□□:

1. Scain QR □□ □ □□□□ □□ □ □□ □, □□□ □□ □□□ □□□□□.
2. wifi □□□ □□ □□□□ □□□□. □□ □□ Led □□ □□.
(wifi □□ □□□ □□, □□□□□, □□□ □ 30 □□ □□ □ □□□ □□ □□□□ □ □□□ □□)
3. wifi□ □□ □ □ □□ □□ □□!
□□□ □□□, □□□ □□□ □ □ □□□ □□□□ □□ □ □□□□.

□□:

1. □□ □ □□: □□ □□□ □ □ □□□ □ □ □□□□ IPad □□ □ WIFI □ □□ □□□ □ □□□□. WiFi □□□□ □□ WiFi □□□ □□ □□□ □□□□, □□□ □□□ □ □ □□ WiFi □□□□□ □□□□. □□□ WiFi□ □□ □□ □□ 4 □□ □ □□ □□ □□□.
2. □□ □□□: □□ □□□ HD □□□ □ □□□ □□□ □□ 2 □□ □□ CMOS □□□□ □□ □□. □□ □□□ □□ □□ □

□□ JPG □□□ □□□□ AVI □□□□ □□□ □ □□□ □□ 640 × 480, 720 x 1280 □□ □□ □ □□ □□□.
3. □□□ 1M/2M/3.5M/5M □□□, □□ 8mm □□ □□□, 6 □□ □□ LED□ □□ □□ □□□ □□ □□□ □□□ □ □ □□□ □□ □□ □□□ □□ □ □□.
4. □□□ □□□:□ □□ □□□□ □□ □□ □ □□ □ □ □, □ □□ □ □□ □□, HVAC □□, □□ □□□, □□ □□, □□, □□□, □□, □□ □□, □□ □□□, □□ □□, □□□ □□.
□□ □□:
□□, □□ □□ QR □□, □□ □□□□□□ □□ □□ □□ □□□□□□ □□□□ □□ □ □□ □;
□□, 2 □□ □□□□: □□□ □□□ □□ □ □ □□□ □□ □ □, □□ □□□ wifi □□ □□□ □ □□ □□□□ □□ □□

Suppoet IOS & Android & Windows

17mm/0.67in
35mm/1.38in
62mm/2.44in

Camera input
Charging
Power
WIFI singnal indicator(Green)
Battery indicator(Red)

IOS
Android
Waterproof
WI-FI

Used on phone

Step One:

(los)seraach for "wifi view"in the App Store or Scan QR code,and download it.

(android)seraach for "wifi view"in the google play or Scan QR code, and download it.

Step two:

Install wifi view app,then the icon will show on your phone.

Step three:

Trun on the power swith①,④ the red light will flash.After 10 seconds, the Green light ⑤ keeps on,It indicate that the wifi box works normally.

Step four

Turn Turn on the wifi of the PC,after 15 seconds,and find ZCF of the wifi name.Connect it,password is 12345678,thenThe Green light⑤ will flash.It indicate that the Wifi has connected successfully.Then you can use it.

Step five:

put on the software . Connect the WIFI Endoscope Camera to ②, the Green light ⑤will flash .Then you can use it.

Used on windows:

Step one:

Scan the QR code to downdoad the software.
Or you can download the software by the link :
http://www.zcfkj.com/rar/ZCF99.exe
We Promise NO VIRUS INCLUDED!!!

Step tow:

Trun on the power swith①,④ the red light will flash.After 10 seconds, the Green light ⑤ keeps on,It indicate that the wifi box works normally.

Step three:

Turn Turn on the wifi of the PC,after 15 seconds,and find ZCF of the wifi name.Connect it,password is 12345678,thenThe Green light⑤ will flash.

Step four

put on the software . Connect the WIFI Endoscope Camera to ②, the Green light ⑤will flash. It indicate that the Wifi has connected successfully.Then you can use it.

a sucker of gifl for you,Make it easy to use (work on Flat plane)

1 x Endoscope
1 x Wifi box
1 x Small hook
1 x Magnet
1 x Side mirror
1 x Fixed set
1 x Sucker
1 x Charging line

Product Packaging:

□□ □ □□ x 1
□□ □ x 1
1 □□ x
□□□ □□□ x 1
□□ □ □□ x 1
1 □□ x □□□
□□:□ □□ □□□ □□ □□ □ □□ □□ (1-2 cm).
□□ 1: □□ □□□□ □□ □□ □□□ □□□ □ □ □□□□ □□□□ □□□, □□□.
□ 2: □ □□□□ □□ □□ □□□ □ □□□□.
□□ 3: □□□ □□ □□ □□ □ □□ □□□ □□□ □ □ □□□ □□□

Approval Certification:

QUALITY MANAGEMENT SYSTEM

CERTIFICATE

Quality Management System

ISO9001: 2008

GB/T 19001-2008

CHINA QUALITY CERTIFICATION CENTRE

Union Safety Certification Service

EC Declaration of Conformity

EN60335-1:2012

EN62233:2008

Applicant : Selectech Electronics co.,Ltd

Address : No.56, Renhe Road, Renhe Town, Baiyun District, Guangzhou, China

Product : Humidity & temp Sensor

Model No. : AM2301/AM2302/AM2303/AM2305/AM2306/AM2321

Input Ratings : 3.5-5.5V

Ref. Test Report : 16002461 001

CE

Manager

Union Safety Certification Service

Declaration of Compliance

Applicant : Selectech Electronics co.,Ltd

Address : No.56, Renhe Road, Renhe Town, Baiyun District, Guangzhou, China

Product : Humidity & temp Sensor

Model No. : AM2301/AM2302/AM2303/AM2305/AM2306/AM2321

Input Ratings : 3.5-5.5V

Ref. Test Report : 16002463 001

This is to certify that , on the basis of the tests undertaken as report no.: 16002463 001, use the submitted sample of the above item complies with:

2011/65/EU

2002/95/EC

RoHS

Signed and on behalf of

Union safety Certification Service

Why Choose US :

Our goal is to provide customers products of high quality, competitive price, and superior services.

1.Established in 2005, about 10 years of history;

2.Own main factories, supply diversification products and One stop service

3.Certificates of ISO9001, UL, CE, EMC,CQC,RoHS,Reach,etc.

4.Six years Gold member in Alibaba, Aliexpress etc

5.Production capability more than 100 thousands pcs/ month;

6.Monthly export more than 50 times delivery;

7.Exported to more than 20 countries and regions;

8.We provide an excellent combination between prices, quality & respond,delivery,after-sales!