

More models you can choose !



□ LCD □□□□ □□ □□ □ □□ / □□□
SE-MW □□□

□□ roduct □□ :

□□ □□□ □□ □□! □□□ □□□ □□ □□!

Selectech □□ □□ □□□□ □□ & A; □□ □□□□□□ □□ □ □□□ □□ □□ □□□□□□ □□ □□□ □□□□□□ □□□□ □□□□□; □□ □ □□.

□□□□□ □□ □□□ □□□ □□ □□□ □□ □□□ □□ □□□ □□ □□ □□□□□ □□ □□ □ □□□□.

Selectech □□□□□□ □□□ HydroProbe□ □□□□ □□ □□□ □□□□□ □□® □□□ □□, □□□ □□ □□ □□□ □ A□ □□□ □□□ □□ □□□ □□; □□□ □□□□□□ □ & A□ □□□ □ □□□□; □□ & A; □□□ □□.

□□ Selectech □□□□ □□ □□□ LED □□□□□□ □□ □ □ □□□, LED□ □□□ □□□ □□ □□□□□.

□□ □ □□; □□ :

□□ □□ □□	12-36V DC
□□ □□ □□	0..100 % RH
□□ □□ □□	□□□ □□ □□□□
□□ □□ □□	0 ~ 5V DC 0 ~ 10V DC □□ 4-20mA □□ RS485 □□
□□ □□□	± 2 % RH (10~95% RH, 25Celsius); & LT + - 5 % RH (-40..80Celsius)
□□	+ -0.3 % RH
□□□□□□	+ -0.3 % RH
□□ □□□	0.1 % RH
□□ □□□ □□□□	± 0.5 % RH
□□ □□	DS18B20
□□ □□□	(25Celsius□□) + -0.3Celsius
□□ □□	0 ~ 5V DC 0 ~ 10V DC □□ 4-20mA □□ RS485 □□
□□ □□ □□	0 ~ 50Celsius -20 ~ 80Celsius□, □□□ PCB □□□ □□□□ □□□□ □□ □□ □□ □□□ □□□ □ □□□□ -40 ~ 60Celsius
□□ □□ □□	-40..80Celsius
□□	ABS
□□□ □□	□□ □□□ Max1.5mm ⁽²⁾

□□□ □□ :



□□□ □□ :

SE-MW3005, □□ □ □□□ □□ 0 ~ 5V DC; LCD □□□□□□ □□ □□,
SE-MW3105LCD, □□ □ □□□ □□ 0 ~ 5V DC; LCD □□□□□□ □□ □□,

SE-MW3010, □□ 0 ~ 10V DC □□ & A□ □□; LCD □□□□□□ □□ □□,
SE-MW3110LCD, □□ 0 ~ 10V DC □□ & A□ □□; LCD □□□□□□ □□ □□,

SE-MW3020, □□ 4 ~ □□ & A□□□ 20mA; LCD □□□□□□ □□ □□,
SE-MW3120LCD, □□ 4 ~ □□ & A□□□ 20mA; LCD □□□□□□ □□ □□,

SE-MW3485, □□ & A□□□ RS485 □□; LCD □□□□□□ □□ □□,
SE-MW3485LCD, □□ & A□□□ RS485 □□; LCD □□□□□□ □□ □□,

□□ □□ :



- 1. Established;
- 2. Owns ISO 9001, UL, CE, SGS, EMC, CQC, Aliexpress
- 3. Certificates
- 4. Six production lines
- 5. Production 100,000 units / month
- 6. Monthly 50,000 units exported
- 7. Exported
- 8. We have A level products!



send us inquiry



receive our quotation



negotiate details



mass production



sign contract / deposit



confirm the sample



cargo ready



balance / delivery



further cooperation

