



1A SE-MT148U USB

Product :

1. AC 6A 240VAC 2
2. USB 1,000mA 5VDC, 58 %
- 3.
4. / AU
- 5.
6. USB  $\pm 5\%$  10 $\Omega$  AC 100-250VAC 5V
7. 10 $\Omega$  USB 450~1,000mA 4
8. USB 5 $\Omega$  1 0.5hrs
9. USB 30 1,000mA
10. :
- (11) - ABS 94V0 - CASES
12. Approval : FCC CE RoHS

Image :





□□ □□ :

□□ □□ □□ **USB** □□

SE-148U□ USB □□ 5V, 1000MA □□ □□

SE-148U-2.1A□ USB □□ 5V, 2100MA □□ □□

SE-148U2□ USB □□ 5V, 1000MA □ □□

SE-148U2-2.1A□ USB □□ 5V, 2100MA □ □□

ODM & A, OEM□ □□□ MOQ□ □□ □□□□ : 1Kpcs □□. □□□ □□□ □□□ □□ □ □ □□□□, □□ □□□□□□. □□□ □□□ □□□□ □□□ □□ □□ □□□□□□! □□□ □□ □□□ □□ □□□!

□□ □□ :

CTN □□ : 100PCS / CN

GW : 12.00kgs

N.W : 10.50 □□□□

□□ : 40.5 × 31.5 × 30cm

□□ □□ :





**□ □□□ □□ :**

- 2005 הָהּ הָהּהּ הָהּ 10 הָהּ 1.Established;
- 2.Owns □□ □□, □□ □□□ □□ □ □□ □□□ □□□
- ISO9001, UL, CE, SGS, EMC, CQC, □□ □□ 3.Certificates
- □□□□, Aliexpress□ 4.Six □ □□ □□
- 5.Production □□ 100 □ □□□ □□ □ / □;
- 6.Monthly 50 הָהּ הָהּהּ הָהּ;
- 20 הָהּ הָהּהּ הָהּהּ הָהּהּ 7.Exported;
- 8.We □□ □□, □□ □ A □□□ □□□ □□□ □□□□; □□, □□, □□ □;

**Order program** *Selectech*



