

USB 0000 00 00 0 00 00 00 00 2.1A 00 SE-MT148U 2 -2.1A

□ roduct **□** :

- 1. AC [] [] 6A 240VAC [] [] 2 [] [] [] [] [] [].
- 2. USB [] [] 2,100mA 5VDC[], [] [] 58 %[].

- $\square\square\square \ 10\Omega \ \square \ \square\square \ \square \ USB \ \square\square \ \square\square \ 4\square50-2\square1\square\square\square\square\square\square\square\square \ \square\square \ \square\square \ \square\square \ 4 \ \square\square\square .$

- 10. 00 : 000, 00.
- (11) 000 00 00
 - 00 00 000 00 00
 - □ 100-240VAC VALTAGE □ □ □
 - 000 000
 - ABS 94V0 0 00 000 000 CASES
- 12.Approval : FCC CE RoHS □□

000 00 :



000 00:

SE-148U USB 0 5V, 1000MA 0 00 00

SE-148U-2.1A USB \square 5V, 2100MA \square \square

SE-148U2-2.1A USB \square 5V, 2100MA \square \square

00 00:

CTN $\square\square$: 100PCS / CN

 $\begin{aligned} &\mathsf{GW}: 12.00 \mathsf{kgs} \\ &\mathsf{N.W}: 10.50 \; \boxed{\square} \boxed{\square} \end{aligned}$

□□: 40.5 × 31.5 × 30cm

 $\Box\Box\Box\Box$:







2005 \square \square \square 10 \square 1.Established;

2.Owns [] [], [] [] [] [] [] [] [] [] [] [] [] []

ISO9001, UL, CE, SGS, EMC, CQC, \square \square 3.Certificates

□ □□□□, Aliexpress□ 4.Six □ □□ □□

5.Production □□ 100 □ □□ □ □ / □;

6.Monthly 50 □□ □□□ □□;



