

## Product Features:

Unique features:

Automatic density analysis

200X digital magnification

Imported electronic components

Elegant appearance design


Field of application:

Textile, Clothing Industry, Consumer electronic, Industry inspection, Instrument, Health Care, Laboratory, Vehicle maintenance and repair, Auto industry, Sewer and Pipe inspection, Security.

Software Application on Windows :

software provides snapshot, video recording, measurement, and etc

## Product Pictures:







Model	SE-S003
Focus	Manual Focus
Focal Distance	3 mm — infinity, customized
Magnification	50 — 200X (continuous zoom)
Sensor	2 MP
Pixels	1600*1200, 640 * 480, 320*240
Video Resolution	Max 640*480
Photo Format	JPEG, BMP
Video Format	WMV, DZC
System	Windows XP SP2 and above, Mac OS X 10.5 and above, Linux
SnapShot	Software control (Windows only)
Date saving	Yes
Mac OSX	Photo Booth or FaceTime
Light Source	LED lights
Port	USB 2.0
Frame Speed	Max 30 frames/second
Material	Metal
Product Size	φ44 mm * 46mm
Gross Weight	600 g
N.W.	200 g
Warranty	1 year
OEM/ODM	Acceptable
Small quantity order	Acceptable

## Application:

Plug C003 to computer, put it onto the object and make sure logo face to operator.

Double click to run the software

Rotate the central knob to adjust suitable magnification

Rotate focus knob to make image clear; to make the density inspection precise and easy, please keep the textile texture horizontal and vertical

Set 3 sampling points by click left button; To be convenient to adjust, please choose intersections of warp and weft and set the second sampling point in the corner. If sampling points is not ideal, please click it by left button to activate it(overstriking), then use Mouse for rough adjustment or use direction key in the keyboard for precise adjustment until computer density lines match the warp and weft of textile perfectly. Current data shows the warp density and weft density on the right part of the software.

Read picture: Reading picture is only for double analysis for existing pictures, which are saved during report generation. Please follow this step during reading picture: select picture->open; It may cause unpredictable problems if double click the selected pictures. Customer name and analyst. Select: pull down list and click left button; Add new: input in customer name column and save by report generation. Delete: pull down list, select and delete by clicking right button

Report number generates by system chronologically

Measure Click in the lower right corner; after the symbol changes to, set 2 arbitrary points to measure the length. Click again after measurement, software will return to density analysis condition.

**Approval Certification:**

**Union Safety Certification Service**  
**EC Declaration of Conformity**

No. 20-120204

The following products have been tested by us with the listed standards and found to comply with the European Community Low Voltage Directive (LVD) 2006/95/EC and 2006/65/EC.

Assessment of compliance of the product with the requirements was based on the following elements:

**EN60335-1:2012**  
**EN62233-2008**

**Applicant** : Seletech Electronics Co., Ltd  
**Address** : No. 55, Renhe Road, Renhe Town, Baiyun District, Guangzhou, China  
**Product** : Humidity & Temp Sensor  
**Model No.** : AM2301AM2302AM2303AM2304AM2305AM2306AM2307  
**Input Ratings** : 3.3 & 5V  
**Ref. Test Report** : 18020401 001




The statement is based on a single declaration of one sample of above-mentioned products. It does not imply an assessment of the whole production and does not permit the use of the term 'type'. The manufacturer should ensure that all products in same production are in conformity with the product sample declared on the report. The applicant should send the whole technical report of the test at the request of the sign.

This CE mark should not be used, under the responsibility of manufacturer, after completion of an EU declaration of conformity and compliance with all relevant CE directives.

Union Safety Certification Service  
Address: 4002, Haiyuan Building, No. 151, Haizhen Street, Dongguan, P.R.C.  
Web: www.uscc.com.cn

**Union Safety Certification Service**  
**Declaration of Compliance**

No. 18-02-120204

**Applicant** : Seletech Electronics Co., Ltd  
**Address** : No. 55, Renhe Road, Renhe Town, Baiyun District, Guangzhou, China  
**Product** : Humidity & Temp Sensor  
**Model No.** : AM2301AM2302AM2303AM2304AM2305AM2306AM2307  
**Input Ratings** : 3.3 & 5V  
**Ref. Test Report** : 18020401 001

This is to certify that, on the basis of the tests undertaken as report no.: 18020401 001, the submitted sample of the above item complies with:  
**2011/65/EU**  
**2002/95/EC**

**RoHS**

Signed and on behalf of  
Union Safety Certification Service



Union Safety Certification Service  
Address: 4002, Haiyuan Building, No. 151, Haizhen Street, Dongguan, P.R.C.  
Web: www.uscc.com.cn

  
**QUALITY MANAGEMENT SYSTEM**  
**CERTIFICATE**

Certificate No.: 001100214002003002

We hereby certify that  
**Zhejiang New-epoch Communication Facility Co., Ltd**  
**Seletech Electronics Co., Ltd**  
New Yong Industry Zone, Xiaogang, Zhejiang, China

In witness of the  
**Quality Management System**  
has been audited and approved by comparison with the standard  
**ISO9001:2008**  
**GB/T 19001-2008**  
The Quality Management System Applied in the following areas:  
Manufacture and Service of the above-mentioned products

Exclusive Design and Development Requirement  
Valid from: Jan. 11, 2009 Valid from: Aug. 08, 2010 Valid until: Nov. 08, 2010



**CHINA QUALITY CERTIFICATION CENTRE**  
Address: 110000, Zhongnanmen East Tower, No. 22, Zhongnanmen East Street, Beijing, P.R.C.  
Web: www.cqc.com.cn

## Why Choose US :

Our goal is to provide customers products of high quality, competitive price, and superior services.

- 1.Established in 2005, about 10 years of history;
- 2.Own main factories, supply diversification products and One stop service
- 3.Certificates of ISO9001, UL, CE, EMC,CQC,RoHS,Reach,etc.
- 4.Six years Gold member in Alibaba, Aliexpress etc
- 5.Production capability more than 100 thousands pcs/ month;
- 6.Monthly export more than 50 times delivery;
- 7.Exported to more than 20 countries and regions;
- 8.We provide an excellent combination between prices, quality & respond,delivery,after-sales!

