Support single channel or 4 channels display

Screen rotation mode

the menu button and exit button

Screen rotation mode

Camera channel selection

Two-way talking

http://www.selectechcn.com

Product Features:

This product is home digital wireless security system, the camera is used dynamic detection technology, SD card recording. It can support single channel to display and video / photo ,also support 4 channels to display and video / photo at the same time. It can be manual video and photo. Or It can be set to take photo and video automatically when the object is moving, so it can save a lot of memory space.

2.4GHz digital frequency technology, transmission distance up to 300 meters at open area, robust anti interference. The outdoor camera is easy to install. Indoor monitor is portable. It can be hung on the wall, or be placed on the desk.

3.5 inch wireless video intercom doorbell, auto take photo and record visitor video. 300m distance, picture + video auto take, 2.4G digital wireless video door phone house intercom system

*3.5 inches high definition resolution LCD display, be built in battery.
*The camera is used HD CMOS image sensor, built in battery,
*Support single channel or 4 channels display;
*Support standard NTSC/PAL video output.

*Support for simultaneous video and sound recording;
*Support for system information display (OSD) in screen;
*Support 64G SD card.
*Supports real-time clock display
*Motion Dection function, it can be set at any time to video when detect the object is moving.

Advantages

* 2.4GHz digital wireless technology;

* Surveillance, hands-free call and talk.

* 3.5 inches high definition resolution LCD display, be built in battery;

* Support single channel or 4 channels display;

* Support for simultaneous video and sound recording;

* Support 64GB SD card; Support real-time clock display;

* Motion Dection function, it can be set at any time to video when detect the object is moving,take photo function,support video or take photo cycle cover function;

* Support Language of the 9 countries UI;

* The camera is uesd HD CMOS image sensor, built in battery;

* Support standard NTSC/PAL video output;

* The host display screen can be connected to the computer via USB cable to play music / video to the computer;

* Infared night vision, additional camera capability.

* Support system information display (OSD) in screen;

* Support single frame video recording, you can record audio;

Specification

Items	Camera (Doorbell)	LCD Screen
Effective pixels	640X480	960X240
Video format	NTSC/PAL	NTSC/PAL
Transmission Frequency	2400 MHz-2483MHz	2400 MHz-2483MHz
Date rate	3Mbps	3Mbps
Power supply	DC 5V	DC 5V
Battery	1.5V 4*AAA battery(or charged battery)	1100MA 4.2V Lithium battery
Operation temperature	'- 10°C - 60°C	'- 10°C - 60°C
Operation humidity	15% ~ 85%RH	15% ~ 85%RH
Lens size / Screen size	1/4 CMOS	3.5''TFT-LCD
Transmission Range	100---300M	100---300M

Consumption current	300mA (Max.)	300mA (Max.)
Memory		Micro 64GB card
Frame rate	30 frame/second	30 frame/second
Operation humidity	15% ~ 85%RH	15% ~ 85%RH

Product Pictures:

Application fields:

It has a wide scope of applications such as : warehouse, shopping malls, home security, care for children and the elderly.It is widely used in high class hotel, villa, office, house, building and so on.

Color box packing

1 x Outdoor camera

1 x Indoor monitor 3.5 inch screen

1 x AC adapter for outdoor camera charger (optional power supply specifications)

1 x AC adapter for indoor monitor (optional power supply specifications)

1 x 1100MA 4.2V Lithium Battery for LCD screen

1 x User manual - English

Packed weight: 0.48KG

Package Size: 20X18.3X7.5CM

18.3CM

Digital Wireless Visual Doorbell

About the Product

PACKING LIST Selectech

7.5CM

20CM

http://www.selectechcn.com

Approval Certification:

QUALITY MANAGEMENT SYSTEM
CERTIFICATE

Quality Management System
ISO9001: 2008
GB/T 19001-2008

CHINA QUALITY CERTIFICATION CENTRE

Union Safety Certification Service

EC Declaration of Conformity

EN60335-1:2012
EN62233:2008

CE

Union Safety Certification Service

Declaration of Compliance

No. : RoHS-1312004

Applicant	: Selectech Electronics co.,Ltd
Address	: No.56, Renhe Road, Renhe Town, Baiyun District, Guangzhou, China
Product	: Humidity & temp Sensor
Model No.	: AM2301/AM2302/AM2303/AM2305/AM2306/AM2321
Input Ratings	: 3.5-5.5V
Ref. Test Report	: 16002483 001

This is to certify that , on the basis of the tests undertaken as report no. 16002483 001, use the submitted sample of the above item complies with:

2011/65/EU
2002/618/EC

RoHS

Signed and on behalf of
Union safety Certification Service

Date of issue: 06,Dec,2016

Union Safety Certification Service

Why Choose US :

Our goal is to provide customers products of high quality, competitive price, and superior services.

1.Established in 2005, about 10 years of history;

2.Own main factories, supply diversification products and One stop service

3.Certificates of ISO9001, UL, CE, EMC,CQC,RoHS,Reach,etc.

4.Six years Gold member in Alibaba, Aliexpress etc

5.Production capability more than 100 thousands pcs/ month;

6.Monthly export more than 50 times delivery;

7.Exported to more than 20 countries and regions;

8.We provide an excellent combination between prices, quality & respond,delivery,after-sales!

Order program — Selectech

send us inquiry → receive our quotation → negotiate details → confirm the sample → sign contract / deposit → mass production → cargo ready → balance / delivery → further cooperation