

# USB wall charger High Speed universal wall socket Dual USB charging outlets USA electrical receptacle types USB-30

Quick Charge 2.0 USB Charger Outlet, Faster Charging to compatible devices. Two 2.0 Quick Charge USB ports, full speed charging to two devices same time. Reduces charging time to smartphones, tablets and devices, Both USB ports are smart to "read" the power source type of devices and maximum charging efficiency Safe charging, 15A TR Tamper Resistant Outlet, 3 Click-On USA style Face Covers.

- |                   |                |
|-------------------|----------------|
| ■ Cafes           | ■ Labs         |
| ■ Office          | ■ Office       |
| ■ Kitchens        | ■ Salons       |
| ■ Bedrooms        | ■ Hotels       |
| ■ Restaurants     | ■ Schools      |
| ■ Meeting Rooms   | ■ Libraries    |
| ■ Airport Lounges | ■ Workstations |



## Product Description

- Type: Wall Socket
- Grounding: Standard Grounding
- Rated Voltage: 125V
- Rated Current: 15A
- Application: Residential / General-Purpose
- Main material: High quality PC Material
- Inside Material: Tin phosphorous bronze
- USB output: DC 5.0V 4000mA or 2100mA
- Color: White
- Insert and Draw Frequency: >10000 times
- Socket standard: Multi function socket
- Certificate: ETL, CE, ROHS
- Pressure Resistance: Between the input output 3KV / AC
- Isolation Resistance: Input and output 500VDC / 100MΩ
- Color: White
- Product size: 115 x 70 mm
- Insert and Draw Frequency >10000 times

- Temperature, humidity: -10°C ~ +40°C ; 20% ~ 90%
- Storage Temperature, Humidity: -20°C ~ +85°C ; 10% ~ 95% RH



[Dual USB charging outlets](#)





### Packaging & Shipping

- Packaging: 1PCS/Poly bag/Inner box / 50PCS/Carton
  - Carton size: 40\*26\*30cm
  - GW: 9 kg
- Or as customized.

### Our Advantages

- 1.We can print your logo on products according to your requirements.
- 2.We can supply these products with spray painting.
- 3.We can manufacture these products on any color that you requested on the basis of your quantity.
- 4.We can manufacture your customized package.
- 5.Good quality with competitive price, different colors and sizes are available.

## Related Products (Embedded Core)

		<p>① <b>XJY-USB-30-A/A</b> AC input parameters: AC125V USB output voltage: DC 5.0V USB output current: 2.1A USB:TYPE A+TYPE A Color: White</p> <p>② <b>XJY-USB-31-A/A</b> AC input parameters: AC125V USB output voltage: DC 5.0V USB output current: 2.1A USB:TYPE A+TYPE A Color: White</p>
		<p>③ <b>XJY-USB-30-A/C</b> AC input parameters: AC125V USB output voltage: DC 5.0V USB output current: 2.1A USB: TYPE A+TYPE C Color: White</p> <p>④ <b>XJY-USB-31-A/C</b> AC input parameters: AC125V USB output voltage: DC 5.0V USB output current: 2.1A USB:TYPE A+TYPE C Color: White</p>

## Company Information

Our company is a professional manufacturer which was founded in 1999. We specialize in the research and production of various kinds of USB wall socket, plug,wifi wall panel router, network keystone,telecome accessories.With a strong R&D department and experienced engineers, our factory can supply OEM and ODM service according to your requirements,just tell us your ideas! Our R&D Team is standing by for you. Our factory is under ISO 9001:2008 Quality Management System control.

