

International usb charger travel adapter power plugs electronic adapters ST-620



Product Features:

- 1) All-in-one plug adapters suitable for using in more than 150 countries
- 2) Easy to use with slide-out power plugs
- 3) Compact, self-contained unit eliminates tangle of adapters
- 4) Adapts power outlets for laptops, chargers and similar devices
- 5) Safety release button and built-in fuse ensure safe operation
- 6) Dimensions: 65*55*63mm
- 7) Weight: 120g
- 8) Certification: FCC, CE & RoHS

Product Pictures:



<http://www.selectechcn.com>



Color



Specifications:

- Input voltage: 100V-240VAC 50/60Hz
- Max load: 8A
- USB output: 5V2.5A
- Power rating: e.g. at 110V-660W /230V-1380W
- Replaceable plugs: UK, Europe, USA, Australia/China
- Replaceable fuse
- Suitable for devices 2- & 3- pole plugs
- Does not convert voltage
- Apply to equipments



Europe



Australia,
china



USA



UK



<http://www.selectechcn.com>

Product Packaging:

PE bag+white box
CTN QTY : 100pcs/cn
GW: 15.00kgs
N.W.: 14.50 kgs
Size.: 40.5*31.5*31cm

ODM&OEM is welcome, as per our MOQ:1Kpcs request. We can customize color and packing, sticker ect. More details, welcome to contact us!

Approval Certification:



Why Choose US :

Our goal is to provide customers products of high quality, competitive price, and superior services.

1. Established in 2005, about 10 years of history;
2. Own main factories, supply diversification products and One stop service
3. Certificates of ISO9001, UL, CE, EMC, CQC, RoHS, Reach, etc.
4. Six years Gold member in Alibaba, Aliexpress etc
5. Production capability more than 100 thousands pcs/ month;
6. Monthly export more than 50 times delivery;
7. Exported to more than 20 countries and regions;
8. We provide an excellent combination between prices, quality & respond, delivery, after-sales!

Order program

Selectech



send us inquiry



receive our quotation



negotiate details



mass production



sign contract / deposit



confirm the sample



cargo ready



balance / delivery



further cooperation