



Safe Multi series 13A Universal India To Uk Plug Adapter With Security Gate SES-7F

Product Features:

- 1, Rated: 13A, 250V (the product itself with a "fuse" to ensure the safe use of electrical products)
- 2, color: black, white
- 3, pin: English / British standard square three pin (2P + E Ground type).
- 4, Jack: socket in hole pins accept different countries around the world. Jack Department with special "security gate" to prevent accidental electrocution and protect the personal safety of users!
- 5, Function: the ability to pin the world into different English / British standard square three pins in the socket on a dedicated British electrical connection to use.
- 6, Applicable areas: the United Kingdom, Hong Kong, the Middle East, Singapore, Malaysia ... and so on.
- 7, This product is ideal for supporting the export of electrical products; also go abroad for business, study and travel with those who carry.
8. Certification: CE & ROHS

Product Pictures:



ODM&OEM is welcome as per our MOQ:1Kpcs request. We can customize color and packing, sticker ect. More details, welcome to contact us! Online customer service for you!

Product Packaging:

- * QTY / Q'TY: 300 PCS (in packaging: 10 PCS / box)
- * GW / G.W.: 23.00 KGS
- * NW / N.W.: 21.00 KGS
- * outside the box size / MEAS.: 52 x 26 x 44 CM

Approval Certification:



Why Choose US :

1. Established in 2005, about 10 years of history;
2. Own main factories, supply diversification products and One stop service
3. Certificates of ISO9001, UL, CE, SGS, EMC, CQC, Reach, etc
4. Six years Gold member in Alibaba, Aliexpress etc
5. Production capability more than 100 thousands pcs/ month;
6. Monthly export more than 50 times delivery;
7. Exported to more than 20 countries and regions;
8. We provide an excellent combination between prices, quality & respond, delivery, after-sales!



send us inquiry



receive our quotation



negotiate details



mass production



sign contract / deposit



confirm the sample



cargo ready



balance / delivery



further cooperation

