USA CANADA standard electroical wall outlets with USB A Chargers Type C Receptacle with (TR) Tamper Resistant Outlet 20A USB-31-A/C

- Cafes
- Office
- Kitchens
- Bedrooms
- Restaurants
- Meeting Rooms
- Airport Lounges

- Labs
- Office
- Salons
- Hotels
- Schools
- Libraries
- Workstations









American standard USB Outlets, Type-C Quick Charge 2.0 USB Charger Outlet, Faster Charging to compatible devices. Full speed charging to two devices same time. Reduces charging time to smartphones, tablets and devices, Both USB ports are smart to "read" the power source type of devices and maximum charging efficiency Safe charging, 20A TR Tamper Resistant Outlet, 3 Click-On USA style Face Covers.

This fits easily with most wall plates. Super easy to install and really is nice, with my kids having all their tablets/phones always charging it is nice to just plug right in.



USB A +Type C receptacle wall plate charger **Product Description**

· Type: Wall outlets, USB Type-A & Type-C

· Grounding: Standard Grounding

· Rated Voltage: 125V · Rated Current: 20A

Application: Residential / General-Purpose
Main material: High quality PC Material
Inside Material: Tin phosphorous bronze
Electrical Characteristics: AC125V /20A
USB output: DC 5.0V /2100mA/4000mA

· Color: White/Black

· Insert and Draw Frequency: >10000 times

· Socket standard: Multi function socket

· Certificate: CE,ROHS,ETL

· Pressure Resistance: Between the input output 3KV / AC

 \cdot Isolation Resistance: Input and output 500VDC / 100M $\!\Omega$

· Color: White/Black


· Product size: 115 x 70 mm


· Insert and Draw Frequency>10000 times

· Temperature, humidity:- 10° C ~ + 40° C ; 20% ~ 90%

· Storage Temperature, Humidity: -20°C \sim +85°C ; 10% \sim 95% RH







Packaging & Shipping

· Packaging: 1PCS/Poly bag/Inner box / 50PCS/Carton

· Carton size: 40*26*30cm

· Weight: 9.0 kg Or as customized.

Features.

- 1.Shell is made of high quality fire retardant PC material, up to the European environmental requirements, burning non-toxic.
- 2.Inside Material is made of Tin phosphorous bronze, with good electrical conductivity, not easily deformed.
- 3.Built-in automatic recovery fuse, more safe.
- 4. Automatically adjust charging Wattage.
- 5.Double USB charging interface, support more USB devices to charging at the same time.
- 6.2100 mA and 4200mA output current, can reduce charging time.
- 7. Compatibility: iPod, iPhone, iPad, Tablets, Mobile Phones, MP3 Bluetooth Headsets, GPS & more.

Our Advantages

- 1.We can print your logo on products according to your requirements.
- 2. We can supply these products with spray painting.
- 3. We can manufacture these products on any color that you requested on the basis of your quantity.
- 4. We can manufacture your customized package.
- 5. Good quality with competitive price, different colors and sizes are available.

Related Products

Embedded core, USB CHARGER





① XJY-USB-30-A/A

AC input parameters: AC125V USB output voltage: DC 5.0V USB output current: 2.1A USB:TYPE A+TYPE A Color: White

2

XJY-USB-31-A/A

AC input parameters: AC125V USB output voltage: DC 5.0V USB output current: 2.1A USB:TYPE A+TYPE A Color: White





(3)

XJY-USB-30-A/C

AC input parameters: AC125V USB output voltage: DC 5.0V USB output current: 2.1A USB: TYPE A+TYPE C Color: White



XJY-USB-31-A/C

AC input parameters: AC125V USB output voltage: DC 5.0V USB output current: 2.1A USB:TYPE A+TYPE C Color: White



Our Services

Shipping:



Shipping remark:

Shipping Method	Arrival date	Service
Express(DHL,UPS,TNT,Fedex etc)	3-7days	Door to Door
By air	3-7 days	Airport to Airport
By sea	15-35days	Port to Port

- *Various courier for your choice, such as DHL, UPS, TNT, Fedex, EMS and so on.
- *Air freight and ocean transportation also available
- *Shipping cost is estimated according to weight, volume, delivery way and destination
- *Goods are sent normally within 7-15 days after payment cleared depond on order quantity.
- *Your nominated freight forwarder is welcome.
- *Buyer need be responsible for any tax or duty charge which may be caused by customs clearance.

Company Information

Our company is a professional manufacturer which was founded in 1999. We specialize in the research and production of various kinds of USB wall socket, plug,wifi wall panel router, network keystone, telecome accessories. With a strong R&D department and experienced engineers, our factory can supply OEM and ODM service according to your requirements, Just tell us your ideas! Our R&D Team is standing by for you. Our factory is under ISO 9001:2008 Quality Management System control.









FAO

1.Can I visit your factory?

Yes, of course you are warmly welcomed to visit our factory. Please inform us in advance.

2. Which payments are acceptable?

We accept T/T, Paypal, Western Union.

3. How fast can I get the quotation?

We usually quote within 24 hours after we get your inquiry. If you are very urgent to get the price, please call us or tell us in your email so that we will regard your inquiry priority.

4.Can you do the design for us?

Yes. We have a professional team having rich experience in USB wall socket and other smart home electronic design and manufacturing. Just tell us your ideas and we will help to carry out your ideas into perfect USB wall socket. It does not matter if you do not have someone to complete files. Send us high resolution images, your Logo and text and tell us how you would like to arrange them. We will send you finished files for confirmation.

5. What is your terms of delivery?

We accept EXW, FOB, CIF, etc. You can choose the one which is the most convenient or cost effective for you.

6. What about the lead time for mass production?

Honestly, it depends on the order quantity and the season you place the order. The lead time of 500pcs is about 8 working days. Generally speaking, we suggest that you start inquiry two months before the date you would like to get the products at your country.

7.Can I place a USB wall socket sample order?

Yes, sample order is welcomed for checking product functionality and quality.		