

Microscópio de microscopia eletrônica de fornecimento direto da fábrica preço microscópio de focalização atômica digital wifi comparação bala microscópio digital

Características:

1. Uma boa qualidade para usar na inspeção dissecação / exame, planta dissecação / exame, exame da pele,
2. Exame da escala, inspeção de matéria têxtil, inspeção da jóia, inspeção das coleções / moeda, inspeção de impressão, inspeção do PWB ou do PCBA e assim por diante.
3. O microscópio é composto de IC de alta qualidade e componentes eletrônicos, com qualidade de imagem clara, baixo consumo de energia, alta resolução, aplica-se a pequenos objetos para ser maior
4. Foto e produção de vídeo, é a melhor escolha de reconhecimento de objetos pequenos.

Especificação do produto	
Ampliação do produto	50X-1000X
Estrutura da lente	2G + IR
Campo de visão	16 ° (dependendo da lente)
Número de LEDs	8 SMD3528 destacam as luzes brancas (brilho ajustável)
Modo de foco e faixa de foco	ajuste manual, 0 ~ 40mm
Distância de imagem	3mm ao infinito
Tamanho do sensor	1/4
A relação sinal-ruído	37db
Sensibilidade	4300mV / lux-sec
Formato de gravação de vídeo	AVI
Resolução de vídeo	720 x 480, 640 x 360, 480 x 272
Formato de foto	JPG
Tamanho da foto	720 x 480, 640 x 360, 480 x 272
Área de trabalho	0-10m (cena vazia, cena oclusa afetará o intervalo de trabalho)
Expediente	≥90 minutos (estado de energia total, a duração da bateria também afeta as horas de trabalho)
Modo de fornecimento de energia	Bateria de lítio interna 800mah
Demanda de carregamento	DC-5V ~ 1A
Corrente de trabalho	~ 260mA
Tamanho autônomo	133,5x34x34mm (leve desvio da medição manual)
Cor do produto	preto (especificamente sujeito ao produto real)
Ambiente de trabalho WiFi	Android4.0 e acima, ios8.0 e acima
Requisitos de equipamento de suporte do ambiente de trabalho WiFi	suporte a equipamentos de transmissão de dados sem fio 2.4Ghz (8201.11b / g / n)
Ambiente de trabalho USB	Windos xp, win7, win8.1, win10 (32, 64 bits), Mac OS x 10.5 ou superior. (Suporta dispositivo de protocolo USB ~ UVC pode ser usado)
Temperatura de trabalho	0 ° C - 40 ° C
Temperatura de armazenamento	-20 a 60 ° C
Umidade de trabalho	30-60% RH
Humidade de Preservação	10-80% RH
2 tipos de seleção de colchetes	Suporte da estação de funcionamento do elevador 1.Adjustable disponível Suporte do metal do tipo 2.U (embalagem padrão)

Product Pictures:





Micro USB

Power Button /
Brightness Control

LED indication
light / Reset

Photo / Video



Focus wheel

Lift
Adjustment
Knob




8 LED Lights



Securing clip





O preço dos dois tipos de colchetes é diferente. Por favor, consulte a loja para o preço específico.

Suporte da estação de funcionamento do elevador 1. Adjustable disponível
Suporte do metal do tipo 2.U (embalagem padrão)

Lista de Pacotes

1. Microscópio WiFi x 1
2. tripé de metal x 1
3. Instruções x 1
4. Base x 1
5. Cabo de carregamento x 1

Product Features:

Union Safety Certification Service

EC Declaration of Conformity

No. 20-170892

The following products have been tested by us with the listed standards and found to comply with the European Community Low Voltage Directive (LVD) 2006/95/EC and 2006/65/EC.

Assessment of compliance of the product with the requirements was based on the following elements:

EN60335-1:2012
EN62233-2:008

Applicant: : Sebaton Electronics Co., Ltd
Address: : No. 55, Renhe Road, Renhe Town, Baiyun District, Guangzhou, China
Product: : Humidity & Temp Sensor
Model No.: : AM2301AM2302AM2303AM2304AM2305AM2306AM2321
Input Rating: : 3.3-5.0V
Ref. Test Report: : 1602483 001




The statement is based on a single declaration of one sample of electro-technical products. It does not imply an endorsement of the above products and does not prevent the use of the term 'CE'.

The manufacturer should ensure that all products in same production are in conformity with the product sample declared on the report. The signatory should not be held responsible in the event of a future non-compliance of the sign.

This CE mark should not be used under the responsibility of the manufacturer after completion of an EU declaration of conformity and compliance with all relevant CE directives.

Union Safety Certification Service
Address: 888, Huan Building, No. 751, Huangpu Street, Guangzhou, P.R.C.
Web: www.uscc.com.cn

Union Safety Certification Service

Declaration of Compliance


No. 1602483 001

Applicant: : Sebaton Electronics Co., Ltd
Address: : No. 55, Renhe Road, Renhe Town, Baiyun District, Guangzhou, China
Product: : Humidity & Temp Sensor
Model No.: : AM2301AM2302AM2303AM2304AM2305AM2306AM2321
Input Rating: : 3.3-5.0V
Ref. Test Report: : 1602483 001

This is to certify that, on the basis of the tests undertaken on report no. 1602483 001, the submitted sample of the above item complies with:
2011/65/EU
2002/95/EC

RoHS

Signed and on behalf of
Union Safety Certification Service



Union Safety Certification Service
Address: 888, Huan Building, No. 751, Huangpu Street, Guangzhou, P.R.C.



**QUALITY MANAGEMENT SYSTEM
CERTIFICATE**

Certificate No.: 00110021-0001001002


We hereby certify that
Zhejiang New-age Electronic Facility Co., Ltd
Sebaton Electronics Co., Ltd
Wen Yong Industry Zone, Xiaoling, Zhejiang, China

in respect of its
Quality Management System
has been awarded this certificate for compliance with the standard
ISO9001:2008
GB/T 19001-2008

The Quality Management System Applied in the following areas:
Production and Service of the above-mentioned products.

Exclusive Design and Development Requirement

Valid from: Jan 11, 2009 Valid to: Feb 08, 2010 Valid until: Feb 08, 2010



CHINA QUALITY CERTIFICATION CENTRE
Address: No. 100, Zhongshan Road, Beijing, P.R.C. Tel: 8610-6500-1000, 6500-1000

Why Choose US :

Our goal is to provide customers products of high quality, competitive price, and superior services.

- 1.Established in 2005, about 10 years of history;
- 2.Own main factories, supply diversification products and One stop service
- 3.Certificates of ISO9001, UL, CE, EMC,CQC,RoHS,Reach,etc.
- 4.Six years Gold member in Alibaba, Aliexpress etc
- 5.Production capability more than 100 thousands pcs/ month;
- 6.Monthly export more than 50 times delivery;
- 7.Exported to more than 20 countries and regions;
- 8.We provide an excellent combination between prices, quality & respond,delivery,after-sales!

