## Лучший продажи 2,0 M 200x цифровой микроскоп с мерой инструментов и 8 светодиодные фонари SE-DM-200X

### Product Features:

* Датчик изображения: 2,0 мегапикселей
* Коэффициент увеличения: 10X - 200X (ручной)
* С помощью программного обеспечения измерения и один год гарантии
* 100% новый
* Образование наблюдение
* Автомастерской и частные наблюдения кожа
* Поддельные ископаемое, рисунок и хобби проверки
* Ювелирные изделия, часы и искусство оценка
* отрасли производят просмотра, например, PCBElectronic компоненты осмотр.
* Диапазон фокусировки 5 мм - 40 мм
* Захват видео Разрешение 2.0M
* Высокая стоимость

| | |
|---|---|
| Увеличение Диапазон: | 10X - 200X (вручную) |
| Диапазон фокусировки | 5мм - 40мм |
| Video Capture Разрешение: | 2.0M |
| Захват кадра Разрешение | 640 * 480 |
| Датчик изображения: | CMOS-датчик изображения |
| Источник Света: | Встроенный 8 белый свет LED и регулируемым освещением обеспечить увеличенные изображения четкие и яркие |
| Контроллер | Высокоскоростной DSP (водитель бесплатно доступна) |
| Снимок | Программное и аппаратное обеспечение |
| Измерьте инструмент: | Микро-Мера (Он может измерять длину и диаметр, угол, периметр, площадь и т.д.) |
| Системные требования: | Pentium компьютер с 700M Hz & Amp; Выше, 20M пространства на жестком диске CD-ROM водителя, 64 Мб оперативной памяти, карты с Direct X VGA |
| Частота Кадров | 30 к / с при 600 LUX Яркость |
| Цифровой зум: | 5X Режим последовательности |
| Регулировка яркости | Ручная регулировка |
| Источник Питания | Порт USB (5 В постоянного тока) |
| Совместимый | USB 2.0 & AMP; USB 1.1 |
| Операционная система | Windows XP, Vista, Win 7 32 бит и 64 бит. |
| Язык: | Английский, китайский и другие языки по выбору |
| Системные требования: | Pentium компьютер с 700M Hz & Amp; выше, 20M пространства на жестком диске CD-ROM водителя, 64 Мб оперативной памяти, с прямым карты X VGA CD-диск с драйверами и микро-измерения инструмента |
| Доступные цвета: | Грязезащитные напольные покрытия черный, UV черные; и другие цвета. |

## Product Pictures:

http://www.selectechcn.com

Selectech
http://www.selectechcn.com



http://www.selectechcn.com

Pls note we produce different pixel and zoom USB microscope with different color avaliable(for 0.3M). If you order pls inform us your need specification as below: (Pls note it's real pixel,not interpolated instead),More details,welcome to contact to us!
My mail is sales@selectechcn.com

| Picture | Specification | Item No. | Zoom | Package contents: | Packing |
|---|---|---|---|---|---|
| | 0.3M USB Microscope (Real 0.3m, Interpolated 2M) | SE03200X | 200X | Microscope, Metal stand, Software CD, User's manual, Calibration ruler Warranty: 1 year | Packing for With metal stand: 1set in a gift box Weight: 270g Box size: 19*12.5*5.2cm 50sets in a carton Weight: 14.5kg Carton Size: 65(L)*39(W)*27(H) CM |
| | | SE03400X | 400X | | |
| | | SE03500XM (With metal stand) | 500X | | |
| | | SE03500XW (With lift stand) | 500X | | |
| | | SE03600X | 600X | | |
| | | SE03800X | 800X | | |
| | | SE031000X | 1000X | | |
| With Metal stand | 2.0M USB Microscope (Real 2M) | SE20800XM (With metal stand) | 800X | Microscope, Metal stand, Software CD, User's manual, Calibration ruler | Packing for With metal stand: 1set in a gift box Weight: 270g Box size: 19*12.5*5.2cm 50sets in a carton Weight: 14.5kg Carton Size: 65(L)*39(W)*27(H) CM |
| | | SE20800XW (With adjust working station stand) | | Microscope, adjust Lift stand, Software CD, User's manual, Calibration ruler | |
| With adjustable working station lift stand | 5.0M USB Microscope (Real 2M) | SE501000XM (With metal stand) | 1000X | Microscope, Metal stand, Software CD, User's manual, Calibration ruler | Packing for with adjust working station lift stand: 1set in a gift box Weight: 520g Box size: 20.5*15*8cm 20pcs/cn=11kg 50pc/scn=27kg 400*265*270mm(20pcs/cn) 645*395*270mm(50pcs/cn) |
| | | SE501000XW (With adjust working station stand) | | Microscope, adjust lift stand, Software CD, User's manual, Calibration ruler | |

## Product Packaging:

1) USB-кабеля 2.0
2) Металлические Неподвижная (1шт)
3) CD-ROM (драйвер, программное обеспечение измерения, руководство пользователя)
4) Калибровка Правитель (1шт)

* Размеры: 112 мм (L) x 33 мм (R)
* Продукт вес нетто: 380г
* Размер упаковки: 23см * 15.5cm * 6 см

## Approval Certification:

QUALITY MANAGEMENT SYSTEM

CERTIFICATE

Quality Management System

ISO9001: 2008

GB/T 19001-2008

CHINA QUALITY CERTIFICATION CENTRE

Union Safety Certification Service

EC Declaration of Conformity

EN60335-1:2012

EN62233:2008

Applicant : Selectech Electronics co.,Ltd

Address : No.56, Renhe Road, Renhe Town, Baiyun District, Guangzhou, China

Product : Humidity & temp Sensor

Model No. : AM2301/AM2302/AM2303/AM2305/AM2306/AM2321

Input Ratings : 3.5-5.5V

Ref. Test Report : 16002461 001

CE

Manager

Union Safety Certification Service

Declaration of Compliance

Applicant : Selectech Electronics co.,Ltd

Address : No.56, Renhe Road, Renhe Town, Baiyun District, Guangzhou, China

Product : Humidity & temp Sensor

Model No. : AM2301/AM2302/AM2303/AM2305/AM2306/AM2321

Input Ratings : 3.5-5.5V

Ref. Test Report : 16002463 001

This is to certify that , on the basis of the tests undertaken as report no.: 16002463 001, use the submitted sample of the above item complies with:

2011/65/EU

2002/95/EC

RoHS

Signed and on behalf of

Union safety Certification Service

## Why Choose US :

Our goal is to provide customers products of high quality, competitive price, and superior services.

1.Established in 2005, about 10 years of history;

2.Own main factories, supply diversification products and One stop service

3.Certificates of ISO9001, UL, CE, EMC,CQC,RoHS,Reach,etc.

4.Six years Gold member in Alibaba, Aliexpress etc

5.Production capability more than 100 thousands pcs/ month;

6.Monthly export more than 50 times delivery;

7.Exported to more than 20 countries and regions;

8.We provide an excellent combination between prices, quality & respond,delivery,after-sales!

Большие Данные напомнить людям, как ниже продуктов:

http://www.selectechcn.com